CUMULATIVE AUTHOR INDEX
Medical Entomology
Volume 43, 2006

A

Abley, M. J., 437
Achee, N. L., 382, 614
Adamou, A., 833
Adha, S., 330
Adjemian, J.C.Z., 93
Ahmad, A., 1129
Akoda, K., 564
Albert, A. M., 1287
Allan, S. A., 225
Alout, H., 878
Alptekin, D., 248
Alsemgeest, D., 1042
Al-Shawa, R. M., 505
Alves Andrade Coelho, C., 262
Amador, M., 484
Ambrogi, C., 159
Amerasinghe, F. P., 996
Amin, D. N., 301
Amore, G., 159
Anderson, J. F., 1010
Anderson, M., 1227
Andre, R., 614
Andre, R. G., 382
Andreadis, T. G., 443, 1010, 1088
Andrew, D. R., 589
Ansari, M. A., 884
Antonio-Nkondjio, C., 1215
Apperson, C. S., 543, 976
Aranda, C., 508
Araújo de Souza, N., 262
Arav, D., 73, 493
Arispici, M., 574
Arlian, L. G., 283, 539, 910, 1200
Armijos, M. V., 368
Arruda, M., 947
Artsob, H., 600
Ashtari, S., 356
Aspen, S., 1227
Atieli, H., 200
Awono-Ambene, P., 1215
Azambuja, P., 262
Azeredo-Espin, A.M.L., 636
Azziz-Baumgartner, E., 610

B

Backenson, P. B., 177, 1004
Bagdasarian, M., 288
Balaraman, K., 631, 1222
Baldet, T., 480
Balenghien, T., 936
Bargues, M. D., 508
Barjesteh, H., 1171
Barker, C. M., 356
Barker, I. K., 403, 600
Barker, S. C., 9
Barnard, D. R., 1121
Barrack, O.-O. J., 221
Barrera, R., 484
Barros, A.T.M., 896
Bates, P. A., 867
Bauer, J. T., 1068
Bauer, S. M., 526
Baxtrom, C., 962
Bayoh, M. N., 669
Beard, C. B., 61
Beaty, B. J., 757, 850
Beauchamp, G., 403, 600
Beckett, L., 93
Beebe, N. W., 1068
Beerntsen, B. T., 318
Benson, E. P., 1094
Bernier, U. R., 225
Berthomieu, A., 878
Bertolotti, L., 159
Bicout, D. J., 936
Biggerstaff, B. J., 1227
Bisset, J., 1185
Biurrun, F., 889
Black, W. C., IV, 238
Blair, C. D., 757, 850
Blaustein, L., 493
Blount, K., 647
Borg-Karlson, A.-K., 113
Botelho, A.C.C., 68
Bouattour, A., 737
Bouyer, J., 853
Braks, M.A.H., 1134
Brault, A. C., 344
Braune, L. M., 962
Brazeau, S., 403
Brelsfoard, C. L., 460
Brengues, C., 480
Briceno, I., 382
Broce, A., 1129
Broce, A. B., 610
Brown, R., 610
Brown, R. N., 743
Brownstein, J. S., 166
Bueno, R., Jr., 594
Bulgakova, T. A., 552
Burkett, D. A., 647
Burkhalter, K., 1227
Byrd, J. H., 1287

C

Caci, J. B., 647
Cahoon-Young, B., 344
Cai, Q., 726
Camara, M., 853
Campbell, S. R., 1261
Cancrini, G., 574
Capela, R., 104, 232
Caraco, T. B., 777
Carney, R., 344, 356
Caro-Riaño, H., 853
Carpenter, S., 73
Carroll, B., 356
Casimiro, S., 267, 276
Castellón, E. G., 990
Catalá, S. S., 1060
Ceballos, L. A., 143, 902
Cecere, M. C., 902
Cetin, H., 1195
Chandramohan, D., 580
Charnetzky, D., 1227
Charron, D. F., 403, 600
Chen, A. C., 707
Chen, H., 777
Chen, S.-C., 498
Chen, W.-J., 752
Cheshire, H. M., 976
Choochote, W., 867
Chouaibou, M., 1215
Chu, F. K., 924
Chuang, C.-K., 752
Cilek, J. E., 1195
Clark, G. G., 484
Clark, J. M., 1103
Clay, K., 437
Codeço, C. T., 1112
Coetzee, M., 1178
Cohen, J. M., 1252
Cohen, R., 723
Coleman, M., 267, 276, 663
Coleman, R. E., 647
Colton, L., 1227
Conçalves, Y., 232
Conn, J. E., 107
Cooper, R. D., 1068
Corbel, V., 1190
Cortinas, M. R., 166, 810
Crawford, J. E., 833
Crippen, T. L., 916
Cruz-Celis, A., 1252
Cueto, G. M., 889
Cui, F., 878
Curriero, F. C., 393

D

Dabire, R. K., 480
Dale, P., 375
Dao, A., 833
Darbro, J. M., 83
da Rosa, A. C., 636
Darriet, F., 1190
Dasch, G. A., 1099, 1103, 1261
Dash, A. P., 884

da Silva, A.N.M., 107
da Silva, C. E., 262
Day, J. F., 473
Debboun, M., 34, 1248
de Deken, R., 564
Dell'Omodarme, M., 574
Delorey, M., 1227
de Melo Ximenes, M. d. F. F., 990
Denlinger, D. L., 713
Derraik, J.G.B., 1
de Souza, M. d. F., 990
de Souza, R.T.L., 107
de Souza Garcia, E., 262
Diabaté, A., 480
Dick, C. W., 433
Dick, S. C., 433
Dietrich, G., 61, 957
DiMenna, M. A., 594
Diuk-Wasser, M. A., 166, 820
Djadid, N. D., 1171
Djagmah, B., 564
Dobson, S. L., 689
Dohm, D. J., 296, 1076
Dolan, M. C., 61, 957
Dong, H., 258
Dos Santos, C.C.B., 107
Dötterl, S., 1164
Doumbia, S., 820
Downer, K. E., 643
Drakeley, C., 580
Drebot, M. A., 600
Dritz, D. A., 828
Drobnack, J., 177
Drummond, C. L., 177
Dsouli, N., 737
Duchon, S., 875
Dujardin, J.-P., 853
Dunphy-Daly, M. M., 589
Dupuis, A. P., II, 1004
Durden, L. A., 17, 762, 1099
Duteau, N. M., 238

E

Ebel, G. D., 177
Eiras, A. E., 214
Eisen, L., 120, 415
Eisen, R. J., 120, 415, 957
Elder, B. L., 910
Elias, S. P., 1142
Endsley, M. A., 640
Endy, T. P., 296
Ensink, J., 996
Erickson, S. M., 966
Escosa, R., 508
Estrada-Peña, A., 801
Evans, R., 966

F

Fang, Y., 309, 344, 356
Feder, M. D., 262
Fernández, D., 1185
Fernando, K., 762
Ferrandino, F. J., 1010
Fish, D., 166
Foil, L. D., 1020
Foley, J. E., 93
Fontenille, D., 1215
Foran, D. R., 1023
Fouque, F., 936
Fournier, P.-E., 787
Freier, J. E., 17
Friger, M., 723
Fritz, G. N., 460
Fu, Y., 785
Fuentes, M. V., 508
Fuqua, C., 437
Fyodorova, M. V., 552

G

Gabitzsch, E. S., 850
Gabrielli, S., 574
Galardo, A.K.R., 947
Galiza, D., 107
Galloway, T. D., 600
Ganesan, K., 207
Garboui, S., 731
Garcia, S., 356
Garros, C., 1178
Garvin, M. C., 589
Gatewood, A. G., 166
Gatton, M. L., 1042
Geddes, G., 762
George, J. E., 9
Gern, L., 737
Gerry, A. C., 192, 467
Ghosh, S. K., 976
Gill, J. S., 1261
Gimnig, J. E., 428
Ginsberg, H. S., 1261
Girod, R., 1082
Girvetz, E. H., 93
Githeko, A., 200
Githeko, A. K., 221
Glaser, C., 356
Glass, G. E., 151, 393, 594
Godsey, M., 1227
Goedeke, J., 610
Gonçalves, J. M., 1112
Gonzalez, J. A., 757
González-Acuña, D., 801
Gordon, D., 610
Gordon, E., 1227
Gorla, D. E., 1060
Gorrochotegui-Escalante, N., 238
Grego, E., 159
Grieco, J. P., 382, 614
Grindle, N., 437
Guerrero, F. D., 9, 896
Guglielmone, A. A., 801
Guillet, P., 875
Gunasekaran, K., 631
Guo, C., 258
Gurevitz, J. M., 143, 902
Gürtler, R. E., 143, 902
Guthrie, D. L., Sr., 1269
Gutierrez, J. A., 526
Gwadz, R., 833

H

Hall, D. W., 1287
Hammock, B. D., 301
Han, S.-K., 1153
Haque, M. A., 884
Harbison, J. E., 473
Harnnoi, T., 867
Harrington, L. C., 55, 83
Haselton, A. T., 252
Hassan, H. K., 543
Hassanzahi, A., 1171
Hatton, E. S., 594
Hawley, W. A., 428
Hayashi, T., 110, 788
Healy, S. P., 1269
Hemingway, J., 267, 276, 663
Heng-Moss, T. M., 1276
Hervé, J.-P., 875
Hervouet, J.-P., 853
Hickling, G., 166
Higley, L. G., 1276
Hochberg, L. P., 647
Holman, M. S., 1142
Hopkins, G., 647
Hoti, S. L., 1222
Hougard, J. M., 875
Howard, J. J., 924
Hrellac, H., 1060
Hu, W., 375
Huang, C.-G., 752
Huang, J., 498
Hughes, M. T., 757
Hunt, R. H., 1178
Hunter, F. F., 138
Hutchens, D. E., 526

I

Isawa, H., 110, 788
Islam, M. S., 689
Ivanitsky, A. V., 552

J

Jaenson, T.G.T., 113, 731
Jahn, M. B., 1269
Jambulingam, P., 631
James, A. M., 17
Jariyapan, N., 867
Jean, C., 356
Jeffery, J.A.L., 1239
Jennings, B. T., 647
Jerônimo, S.M.B., 990
Jespersen, J. B., 533
Jhumur, U. S., 1164
Jin, L., 785
Jitpakdi, A., 867
Johnson, S., 614
Johnston, J. S., 1103
Jordan, R. A., 1269

Joshi, V., 330
Jürgens, A., 1164

K

Kagbadouno, M. S., 853
Kahl, N., 356
Kalisch, J. A., 610
Kalyanasundaram, M., 518
Kamau, L., 428, 774, 1178
Kamita, S. G., 301
Karchesy, J. J., 957
Karunaweera, N. D., 79
Kasap, H., 248
Kasap, M., 248
Kasimos, J. N., 962
Kauffman, E. B., 1004
Kaufman, M. G., 669, 677
Kay, B. H., 1042, 1239
Keirans, J. E., 17
Keith, D. L., 610
Kemper, C. J., 526
Kengne, P., 480
Kerah, C. H., 1215
Khadem, M., 104, 232
Khodjaev, S., 296
Khrimian, A., 34, 1248
Kikuchi, H., 128
Kim, H.-C., 1076
King, R., 382
Kitron, U., 143, 166, 810, 902
Klein, T. A., 1076
Kline, D. L., 124, 225, 1121
Klun, J. A., 34, 1248
Knorr, M., 533
Knowles, D. P., 971
Kobayashi, M., 110, 788
Kocak, O., 1195
Kodirov, A., 296
Koekemoer, L. L., 1178
Kogut, S., 924
Komilov, N., 296
Konradsen, F., 996
Kopecký, J., 1208
Krafsur, E. S., 640
Kramer, L. D., 177, 1004
Kramer, M., 1248
Kramer, V., 356
Kremastinou, J., 40
Kristensen, M., 533
Kubi, C., 564
Kulkarni, M. A., 580
Kusumawathie, P.H.D., 79
Kweka, E., 580
Kýčková, K., 1208

L

LaBeau, E. M., 594
Lacerda, R.N.L., 107
LaCombe, E. H., 1142
Lane, R. S., 120, 415, 743
Lanoil, B., 1153
Latorre, J. M., 508
Lawler, S. P., 828
Layne, L. J., 924
Lee, J. S., 296, 647
Lee, L., 924
Lee, S. H., 1103
Lee, W.-J., 1076
Lehmann, T., 480, 833
Lemenager, D. A., 368
Lesser, C. R., 393
Lessinger, A. C., 636
Li, J., 318
Lin, C.-C., 752
Lindblade, K. A., 428
Lindsay, L. R., 403, 600
Lizarazo-Ortega, C., 701
Lopatina, J. V., 552
Lord, C. C., 623
Lothrop, H. D., 344, 356
Lounibos, L. P., 947, 1134
Lourenço-de-Oliveira, R., 455, 1112
Lubelczyk, C. B., 1142
Luleyap, H. U., 248
Lunt, H. L., 73
Luo, J., 785
Lyatuu, E., 580
Lysyk, T. J., 840, 971

M

Ma, L., 258
Maarouf, A., 403
Macedo e Silva, V. P., 990
Machuka, J., 301
Maciel-de-Freitas, R., 1112
MacKay, A. J., 1020
Madon, M. B., 356
Maffei, J. G., 1004
Magi, M., 574
Main, A. J., 1010
Mak, S., 762
Maknojia, S., 669
Mangold, A. J., 801
Manguin, S., 1178
Mannelli, A., 159
Manoukis, N. C., 820
Mans, N. Z., 589
Marcotty, T., 564
Martinez, V. M., 309, 344
Mas-Coma, S., 508
Masuoka, P., 382, 614
Mathenge, E. M., 473
Mather, T. N., 337
Mathew, N., 518
Mbogo, C., 200
McAlister, S. I., 861
McElwain, T. F., 971
McMillen, L., 1227
McNabb, A., 762
Means, R. G., 924
Meddis, M., 1269
Meeüs, T. d., 853
Mellor, P. S., 73
Mendki, M. J., 207
Mendonça, S., 232
Menezes, A.A.L., 990
Mengersen, K., 375
Mertins, J. W., 17
Miller, J. R., 498
Miller, S. N., 1034
Minakawa, N., 200, 221
Misiani, G. O., 473
Mixson, T. R., 1261
Mogi, M., 795
Mohloai, P., 267
Molaei, G., 1088
Molina, J. L., 594
Mongkolpradit, T., 962
Monteiro, F. A., 455
Morchon, R., 508
Mores, C. N., 296, 1076
Morgan, M. S., 283, 539, 910, 1200
Morshed, M. G., 403, 762
Moser, J., 610
Mosha, F. W., 580
Mougabure Cueto, G., 634
Mukabana, W. R., 473
Mukhtar, M., 996
Mulaya, N., 774
Mullens, B. A., 192, 467
Muluvi, G. M., 301
Mumcuoglu, K. Y., 723
Mun, J., 120
Munga, S., 221
Munyekenye, G., 200

N

Nabity, P. D., 1276
Nasioulas, G., 40
Ndenga, B., 200
Nebbia, P., 159
Nelder, M. P., 1094
Nene, V. M., 9
Neto, R. B., 1112
Ngo, K. A., 1004
Nishimura, N., 1134
Norris, D. E., 151, 594
Nouira, S., 737
Núñez-González, C. A., 701
Nyale, E., 580

O

O'Callaghan, C. J., 403
Ochoa, R., 610
O'Connell, S. M., 1134
O'Connor, P., 344
Odhiambo, F., 428
Ogden, N. H., 403, 600
O'Guinn, M. L., 647
O'Handley, R., 600
Okanga, S., 789
Olang, G., 428
Oldenburg, B., 375
Oliveira, M. T., 636
Oliver, J., 924

Omukunda, E., 200
Ordoñez, R., 1252
Orlandi-Pradines, E., 1082
Osir, E. O., 301
O'Toole, D., 568
Ouari, A., 480

P

Padhan, K., 884
Pages, F., 1082
Paily, K. P., 1222
Pålsson, K., 113, 731
Paragas, J., 296
Parker, A., 564
Parmenter, R. R., 594
Parola, P., 787
Patnaude, M., 1121
Patsoula, E., 40
Paul, A., 55
Paul, C. C., 283
Paysen, E. S., 1094
Pazarbasi, A., 248
Peck, G. W., 25
Peot, M. A., 743
Peralta-Cruz, J., 957
Pereira, S. T., 68
Pérez de León, A. A., 323, 568
Peterson, A. T., 1068
Petridis, M., 288
Picollo, M. I., 634, 889
Piesman, J., 61, 166, 957
Pimenta, P.F.P., 68
Pinger, R. R., 437
Pinheiro, V. C., 68
Pittendrigh, B. R., 1103
Platonov, A. E., 552
Platonova, O. V., 552
Platt, K. B., 966
Ploch, J., 647
Plummer, P. R., 526
Ponnusamy, L., 543
Pope, K., 614
Popko, D. A., 1153
Porcasi, X., 1060
Postic, D., 737
Poudel, S. K., 788
Poudel, S.K.S., 110
Póvoa, M. M., 107
Prakash, S., 207
Prati, M. C., 574
Pruett, J. H., 707
Prusinski, M., 924
Puri, S. N., 207
Purohit, A., 330
Putnam, J. L., 647

Q

Qian, J., 258
Qiao, C.-L., 878
Queiroz, J. W., 990

R

Raeisi, A., 1171
Rajendran, R., 185
Ramsey, J. M., 1252
Ramsey, K. H., 962
Rand, P. W., 1142
Rangel, E. F., 262
Raoult, D., 787
Rapp, C. M., 539
Rasgon, J. L., 696
Rasmussen, A.-M., 533
Rau, M. E., 580
Ravel, S., 853
Raymond, J.-L. W., 647
Raymond, M., 878
Reagan, K. L., 757
Reddy, A., 924
Reeves, W. K., 1099
Reichard, M. V., 1261
Reisen, W. K., 309, 344, 356
Rejmankova, E., 382
Rejmánková, E., 614
Reuben, R., 185
Rey, J. R., 1134
Richards, S. L., 543, 976
Rinehart, J. P., 713
Roberts, D., 614
Roberts, D. R., 382
Robich, R. M., 713
Rodgers, S. E., 337
Rodríguez, M. M., 1185
Rodriguez, R., 460
Rodríguez-Pérez, M. A., 701
Roegner, V. E., 1269
Rogier, C., 1082
Romero-Severson, J., 1103
Roque, R. A., 214
Rowley, W. A., 966
Rowton, E., 1248
Rowton, E. D., 647
Roy, A., 1020
Rurangirwa, F. R., 971
Rutledge, C. R., 623
Ryan, P. A., 1042, 1239

S

Sabatier, P., 936
Sabio, I. J., 1020
Sainz, S., 508
Sakamoto, J. M., 696
Salabert Gonzalez, M., 262
Samanidou-Voyadjoglou, A., 40
Sánchez-Varela, A., 701
Santa-Ana, M., 104
Sant'ana, A. L., 214
Santa Rosa, E. P., 107
Sasaki, T., 110, 788
Savage, H. M., 552, 1227
Sawabe, K., 110, 788
Scavuzzo, M. C., 1060
Scheidler, L. C., 589
Schlater, J. L., 17
Schmidt, J., 957
Schmidtmann, E. T., 1034
Schulze, T. L., 1261, 1269
Scoles, G. A., 971
Scott, J. D., 762
Scott, J. G., 55
Secundino, N.F.C., 68
Sekhar, K., 207
Seki, N., 110, 788
Seocharan, I., 663
Shafii, M., 344, 356
Sharakhov, I. V., 861
Sharakhova, M. V., 861
Sharma, K., 330
Sharma, R. C., 330
Sharma, S. K., 884
Sharma, Y., 330
Sharp, B., 267, 276, 663
Sheffield, C., 916
Shepard, J. J., 443
Shermuhemedova, D., 296
Sherwood, V., 647
Sheyka, J. M., 594
Shone, S. M., 151, 393
Sierwald, P., 962
Silva-do-Nascimento, T. F., 455
Simard, F., 480, 1215
Simon, F., 508
Singh, H., 330
Singhi, M., 330
Siriyasatein, P., 867
Sissoko, I., 820
Slutsker, L., 428
Smith, C. K., II, 526
Smith, R. P., Jr., 1142
Soares, C.A.G., 61
Solano, P., 853
Sota, T., 795
Spanakos, G., 40
Spradling, S. L., 647
Srinivasan, R., 631
Steiner, F. E., 437
Stoffolano, J. G., Jr., 252, 643
Stratton, H. H., 777
Sucupira, I., 107
Sukumaran, D., 207
Sullivan, B., 437
Sun, J., 258
Sun, L., 258
Sunish, I. P., 185
Sweeney, A. W., 1068

T

Tabachnick, W. J., 323, 568, 623
Tadei, W. P., 68
Takahashi, H., 128
Takahashi, M., 128
Takahashi, R., 356
Tarone, A. M., 1023
Taylor, C. E., 820
Tchuinkam, T., 1215
Temeyer, K. B., 707

Ter Kuile, F. O., 428
Thielman, A., 138
Thomas, J., 382
Thompson, R. A., 403, 600
Tiawsirisup, S., 966
Tolari, F., 574
Toloza, A. C., 889
Tomassone, L., 159
Tomberlin, J. K., 1287
Tomita, T., 110, 788
Tong, S., 375
Touré, A. M., 833
Touré, M. B., 820
Tramuta, C., 159
Traoré, S. F., 820, 833
Trudel, L., 600
Tsai, K.-H., 752
Tsao, J., 166
Tucker, B. J., 966
Tucker, J. R., 368
Turell, M. J., 296, 1076
Tyagi, P. K., 884

U

Unnasch, T. R., 543, 701
Untalan, P. M., 707
Upadhyay, A. K., 884

V

Vakalis, N. C., 40
Van den Abbeele, J., 564
Van den Bossche, P., 564
van der Hoek, W., 996
Vann, C. N., 437
Vanzie, E., 614
Vázquez-Prokopec, G. M., 902
Venter, G. J., 73
Venzal, J. M., 801
Vossbrinck, C. R., 443, 1010
Vulule, J. M., 428, 498, 669, 774

W

Wagner, B., 1134
Waldor, M. K., 288
Walker, E., 166, 288
Walker, E. D., 498, 669, 677
Waltner-Toews, D., 403
Waltner-Toews, M., 403
Walton, W. E., 25, 1153
Wamai, P., 200
Wanja, E., 669
Wanzala, W., 789
Weber, J., 610
Wei, S., 726
Weill, M., 878
Weina, P. J., 647
Welbourn, C., 610
Wheeler, S. S., 356
White, B. J., 589
White, D. J., 777, 924
White, W. H., 526
Wickremasinghe, A. R., 79
Wijeyaratne, M.J.S., 79
Wilkerson, R. C., 455
Wilkinson, M. C., 867
Willadsen, P., 9
Wilson, J., 344
Wilson, J. L., 356
Wilson, M. L., 1252
Wirtz, R., 947
Wise, R. D., 962
Wooten, M. C., 701
Wright, S. A., 368
Wu, W.-J., 752

X

Xia, A., 861
Xu, S., 785

Y

Yamamoto, S. A., 368
Yan, G., 200, 221
Yanikoglu, A., 1195
Yaremych-Hamer, S., 166
Yaro, A. S., 833
Yin, C.-M., 252
Yip, F., 610
Younsi-Kabachii, H., 737
Yuan, Z., 726

Z

Zaidenberg, M., 902
Zakeri, S., 1171
Zárate, J. E., 902
Zeichner, B. C., 976
Zeidner, N. S., 61
Zerba, E., 889
Zerba, E. N., 634
Zhao, X., 526
Zhou, G., 200, 221
Zhu, C., 258
Zimmerman, R. H., 947
Zou, L., 1034
Zungoli, P. A., 1094
Zurek, L., 610, 1129
Zygadlo, J., 889

CUMULATIVE KEY WORD INDEX
Medical Entomology
Volume 43, 2006

A

abundance,
  cattle, 840
  Culicoides, 840
  species composition, 840
Acari,
  acetylcholinesterase, 707
  Ixodidae, 707
  kinetics, 707
  tick, 707
acaricide,
  cattle assay, 526
  in vivo screening, 526
  ixodid, 526
  rat assay, 526
acetylcholinesterase, 707, 878
  Acari, 707
  Culex pipiens, 878
  gene mutation, 878
  insecticide resistance, 878
  Ixodidae, 707
  kinetics, 707
  tick, 707
adhesion molecule,
  chemokine, 910
  Sarcoptes scabiei, 910
  scabies mite, 910
  vascular endothelium, 910
adult diapause,
  cold hardiness, 713
  desiccation resistance, 713
  hsp70, 713
  supercooling point, 713
adult mosquito collection,
  Anopheles, 473
  ceiling net, 473
  Kenya, 473
  resting box, 473
Aedes, 40, 214, 795, 1134
  Culex, 1134
  cytochrome oxidase I, 40
  dengue, 214
  dengue vector, 40
  DNA, 795
  Florida, 1134
  internal transcribed spacer 2, 40
  ovitraps, 214
  Panicum maximum, 214
  phylogeny, 40, 795
  pitcher plant, 795
  rural, 1134
  Stegomyia, 795
  urban, 1134
  yellow fever, 214
Aedes aegypti, 55, 68, 484, 1112, 1185, 1190
  Aedes albopictus, 1112
  competition, 484
  cross-resistance, 1185
  Cuba, 1185
  cytochrome P450 monooxygenases, 55
  dengue, 55, 484
  dispersal, 1112
  ecology, 484
  egg buster, 68
  first instar, 68
  food limitation, 484
  hatching, 68
  insensitive acetylcholinesterase, 1185
  mixture, 1190
  mosquito control, 55
  new insecticides, 55
  pyriproxyfen, 1190
  spinosad, 1190
  Stegomyia, 1112
  synergism, 1190
  yellow fever, 1112
Aedes albopictus, 1, 543, 689, 976, 1112
  Aedes aegypti, 1112
  blood feeding, 543
  cytoplasmic incompatibility, 689
  dispersal, 1, 1112
  feeding indices, 543
  host availability, 543
  immature survivorship, 689
  invasion, 1
  kriging, 976
  microsatellite analyses, 543
  New Zealand, 1
  oviposition, 976
  population replacement, 689
  spatial analysis, 976
  Stegomyia, 1112
  Wolbachia, 689
  yellow fever, 1112
Aedes breeding,
  dengue, 330
  Socioeconomic status, 330
  surveillance, 330
  tree holes, 330
Aedes sollicitans,
  Poisson regression model, 393
  population dynamics, 393
  salt marsh, 393
  weather, 393
Aedes spp.,
  La Crosse virus, 757
  mosquito, 757
  transovarial transmission, 757
Aedes triseriatus, 589, 850, 966
  arbovirus, 589
  Culex pipiens, 966
  La Crosse encephalitis virus, 589
  La Crosse virus, 850
  mating, 850
  surveillance, 589
  vector competence, 966
  West Nile virus, 589, 966
Aedes vexans, 1010, 1088
  Culex pipiens, 1010
  Culex restuans, 1010
  Culex salinarius, 1010
  Culiseta melanura, 1088
  host-feeding pattern, 1088
  mosquito, 1088
  West Nile virus, 1010, 1088
Aedes vigilax,
  vector competence, 1239
Africa,
  insecticide-treated bednets, 428
  malaria, 428
agarose gels,
  Anopheles gambiae, 498
  bacteria, 498
  odors, 498
  oviposition, 498
allergen,
  enzyme, 1200
  proteases, 1200
allozymes,
  Anopheles, 455
  Culicidae, 455
  RAPD, 455
  taxonomy, 455
Alphitobius diaperinus,
  bacteria, 916
  external disinfection, 916
  lesser mealworm, 916
  poultry litter beetle, 916
alternative,
  control, 723
  Pediculus humanus capitis, 723
  Pediculus humanus humanus, 723
altitude,
  Anopheles arabiensis, 580
  entomological inoculation rate, 580

malaria, 580
Tanzania, 580
Amblyomma americanum, 61, 1261, 1269
Borrelia, 1261, 1269
Borrelia burgdorferi, 61
Dermacentor variabilis, 61
Ehrlichia, 1261
encounter frequencies, 1269
infection prevalence, 1269
Ixodes scapularis, 61, 1269
Lyme disease, 61
Rickettsia, 1261
American crow,
Culex pipiens quinquefasciatus, 356
Culex tarsalis, 356
West Nile virus, 356
western scrub-jay, 356
ammonium nitrogen,
bacteria, 1153
constructed wetlands, 1153
Culex, 1153
denaturing gradient gel electrophoresis, 1153
anaphylaxis,
non-native species, 1094
ponerines, 1094
stinging, 1094
urticaria, 1094
Anaplasma marginale,
bison, 971
Dermacentor andersoni, 971
ticks, 971
transmission, 971
Anaplasma phagocytophilum,
Babesia odocoilei, 437
blacklegged tick, 437
Ixodes scapularis, 437
polymerase chain reaction, 437
Anopheles, 455, 473, 508, 614, 820, 867, 1215
18S and ITS-2 rDNA sequences, 508
adult mosquito collection, 473
allozymes, 455
Belize, 614
Cameroon, 1215
ceiling net, 473
Culicidae, 455
density, 820
GE-rich, 867
Iberian Peninsula, 508
irrigation, 820
Kenya, 473
land use, 614
malaria, 508, 614, 867, 1215
mosquito, 867
phylogenetic analysis, 508
Plasmodium, 1215
RAPD, 455
resting box, 473
salivary gland, 867
size, 820
survivorship, 820
taxonomy, 455
transect, 614
vectors, 1215
Anopheles aquasalis,
Brazilian Amazon, 107
colonization, 107
malaria vector, 107
Anopheles arabiensis, 276, 580
altitude, 580
Anopheles gambiae, 276
entomological inoculation rate, 580
insecticide resistance, 276
malaria, 580
Mozambique, 276
Tanzania, 580
Anopheles culicifacies,
Anopheles fluviatilis, 884
bioefficacy, 884
Olyset net, 884
wash resistance, 884
Anopheles darlingi,
Belize, 382
GIS, 382
larval habitats, 382
remote sensing, 382
Anopheles fluminensis,
ITS2, 460
PCR identification, 460
repeat units, 460
Anopheles fluviatilis,
Anopheles culicifacies, 884
bioefficacy, 884
Olyset net, 884
wash resistance, 884
Anopheles funestus, 200, 267, 1178
Anopheles gambiae, 200
highlands, 200
insecticide resistance, 267
malaria, 1178
Mozambique, 267
population dynamics, 200
population structure, 1178
pyrethroids, 267
restriction fragment length polymorphism types, 1178
Anopheles gambiae, 200, 221, 276, 480, 498, 833, 1082
agarose gels, 498
Anopheles arabiensis, 276
Anopheles funestus, 200
bacteria, 498
body size, 833
competitors, 221
egg batch size, 833
egg size, 833
fecundity, 833
highlands, 200
insecticide resistance, 276, 1082
Ivory Coast, 1082
malaria, 1082
mating behavior, 480
mixed swarms, 480
molecular M and S forms, 480
Mozambique, 276
odors, 498
oviposition, 221, 498
population dynamics, 200
predators, 221
site selection, 221
Anopheles gambiae larvae,
feeding ecology, 669
surface layer algae, 669
Anopheles stephensi,
cytogenetic photomap, 861
fluorescent in situ hybridization, 861
polytene chromosomes, 861
Anopheles ziemanni,
human blood indices, 774
Kenya, 774
malaria, 774
sporozoite infection, 774
anopheline mosquito control,
larvivorous fish, 79
larvivorous potential, 79
river bed pools, 79
Sri Lanka, 79
antibiotic resistance,
horizontal transfer, 288
house fly gut, 288
Musca domestica, 288
shiga toxin, 288
antibody,
digestive tract, 539
immunoglobulin, 539
Sarcoptes scabiei, 539
vaccine, 539
anticoagulant,
filarial parasite, 1222
mosquito, 1222
susceptibility, 1222
Aptenia,
Fannia, 192
Fanniinae, 192
Muscidae, 192
Arbovirus, 589, 623, 1004
Aedes triseriatus, 589
Bunyamwera serogroup, 1004
Bunyavirus, 1004
Cache Valley virus, 1004
epidemiology, 623
La Crosse encephalitis virus, 589
Potosi virus, 1004
surveillance, 589
vector infection, 623
viremia, 623

West Nile virus, 589
Argas (Persicargas) keiransi,
16S sequence, 801
keys, 801
New World *Persicargas*, 801
Argentinean plants,
essential oils, 889
fumigants, 889
head lice, 889
repellents, 889
Armigeres subalbatus,
Japanese encephalitis virus, 752
parallel infection, 752
Wolbachia, 752
arthropod vectors,
Borrelia burgdorferi, 743
disease reservoirs, 743
Ixodes, 743
Neotoma fuscipes, 743
attractant,
"canyon flies", 467
CO_2, 467
Fannia benjamini, 467
Fannia conspicua, 467
azadirachtin,
ecdysis, 262
ecdysone, 262
Lutzomyia longipalpis, 262
metamorphosis, 262

B

Babesia bovis,
Boophilus microplus, 9
gene identification, 9
genome sequence, 9
molecular genetics, 9
Babesia odocoilei,
Anaplasma phagocytophilum, 437
blacklegged tick, 437
Ixodes scapularis, 437
polymerase chain reaction, 437
bacteria, 498, 677, 916, 1129, 1153
agarose gels, 498
Alphitobius diaperinus, 916
ammonium nitrogen, 1153
Anopheles gambiae, 498
Cochliomyia macellaria, 1129
constructed wetlands, 1153
Culex, 1153
denaturing gradient gel electrophoresis, 1153
external disinfection, 916
flies, 1129
larval development, 1129
lesser mealworm, 916
microbial biomass, 677
Ochlerotatus triseriatus larvae, 677
odors, 498
oviposition, 498
poultry litter beetle, 916
soluble nutrients, 677
stemflow, 677
tree holes, 677
Bartonella quintana,
head lice, 110
Nepal, 110
PCR, 110
trench fever, 110
bat,
chigger, 128
Plecotus auritus, 128
Trombiculidae, 128
Whartonia (Fasctonia) natsumei n. sp., 128
behavioral response,
Culex quinquefasciatus, 207
EAG, 207
human skin emanations, 207
semiochemicals, 207
Belize, 382, 614
Anopheles, 614
Anopheles darlingi, 382
GIS, 382
land use, 614
larval habitats, 382
malaria, 614
remote sensing, 382
transect, 614
binary toxin,
Culex quinquefasciatus, 726
delayed effect, 726
Mtx1, 726
bioassay,
knockdown resistance, 533
Pediculus capitis, 533
Pediculus humanus, 533
pyrethroid resistance, 533
bioefficacy,
Anopheles culicifacies, 884
Anopheles fluviatilis, 884
Olyset net, 884
wash resistance, 884
biogenic amine,
hematophagous, 252
midgut, 252
birds, 225, 368
Borrelia burgdorferi, 368
carbon dioxide, 225
Culex, 225
host attraction, 225
Ixodes pacificus, 368
bison,
Anaplasma marginale, 971
Dermacentor andersoni, 971
ticks, 971
transmission, 971
black flies,
DEPA, 518
mosquitoes, 518
repellent, 518
sand flies, 518
blacklegged tick, 437, 1142
Anaplasma phagocytophilum, 437
Babesia odocoilei, 437
deer browse-resistant exotic-invasive plants, 1142
habitat, 1142
hosts, 1142
Ixodes scapularis, 437, 1142
polymerase chain reaction, 437
blood feeding, 543, 643
Aedes albopictus, 543
feeding indices, 543
host availability, 543
microsatellite analyses, 543
octenol, 643
odor attractants, 643
bloodmeal host utilization,
Culex pipiens, 552
mosquito diversity, 552
Volgograd, 552
West Nile virus, 552
blow flies,
degree-day analysis, 1276
post-mortem interval, 1276
temperature thresholds, 1276
Bluetongue virus,
Culicoides, 73
oral susceptibility, 73
vector competence, 73
body size,
Anopheles gambiae, 833
egg batch size, 833
egg size, 833
fecundity, 833
Boophilus microplus,
Babesia bovis, 9
gene identification, 9
genome sequence, 9
molecular genetics, 9
Borrelia, 1261, 1269
A. americanum, 1269
Amblyomma americanum, 1261
Ehrlichia, 1261
encounter frequencies, 1269
I. scapularis, 1269
infection prevalence, 1269
Rickettsia, 1261
Borrelia afzelii,
complement, 1208
cytokines, 1208
Ixodes ricinus, 1208
phagocytosis, 1208
Borrelia burgdorferi, 61, 166, 368, 600, 743, 762, 924
Amblyomma americanum, 61
arthropod vectors, 743
birds, 368
Dermacentor variabilis, 61
disease reservoirs, 743

distribution, 762
infection prevalence, 600
Ixodes, 743
Ixodes pacificus, 368
Ixodes scapularis, 61, 600, 762
Ixodes scapularis nymphs, 166
Lyme borreliosis, 600
Lyme disease, 61, 762, 924
mice, 924
Neotoma fuscipes, 743
New York state, 924
Ontario, 762
phenology, 166
risk mapping, 166
spatial clustering, 166
spatial distribution, 600
ticks, 924
Borrelia lusitaniae, 159, 737
Italy, 159
Ixodes ricinus, 159, 737
Psammodromus algirus, 737
reservoir, 737
Rhipicephalus, 159
spotted fever group rickettsiae, 159
xenodiagnosis, 737
Borrelia miyamotoi,
California, 120
Ixodes pacificus, 120
relapsing-fever group spirochetes, 120
bottom-up effects,
detritus, 828
discing, 828
paddy, 828
Brazil,
climate, 990
Lutzomyia longipalpis, 990
seasonality, 990
visceral leishmaniasis, 990
Brazilian Amazon,
Anopheles aquasalis, 107
colonization, 107
malaria vector, 107
breeding sites,
distribution, 138
first record, 138
Ochlerotatus japonicus, 138
Ontario, 138
Bunyamwera serogroup,
Arbovirus, 1004
Bunyavirus, 1004
Cache Valley virus, 1004
Potosi virus, 1004
Bunyavirus,
Arbovirus, 1004
Bunyamwera serogroup, 1004
Cache Valley virus, 1004
Potosi virus, 1004

C

Cache Valley virus,
Arbovirus, 1004
Bunyamwera serogroup, 1004
Bunyavirus, 1004
Potosi virus, 1004
California, 93, 120
Borrelia miyamotoi, 120
fleas, 93
GARP, 93
Ixodes pacificus, 120
plague, 93
relapsing-fever group spirochetes, 120
vector, 93
Calliphoridae,
ecological genetics, 1023
forensic entomology, 1023
life history, 1023
Lucilia sericata, 1023
Camargue,
host-baited collections, 936
mosquito potential vectors, 936
West Nile fever, 936
Cameroon,
Anopheles, 1215
malaria, 1215
Plasmodium, 1215
vectors, 1215
"canyon flies",
attractant, 467
CO_2, 467
Fannia benjamini, 467
Fannia conspicua, 467
carbon dioxide, 151, 225, 467
attractant, 467
birds, 225
"canyon flies", 467
Culex, 225
Fannia benjamini, 467
Fannia conspicua, 467
height, 151
host attraction, 225
light trap, 151
octenol, 151
trapping scheme, 151
cattle, 323, 840
abundance, 840
Culicoides, 323, 840
species composition, 840
vector competence, 323
vesicular stomatitis, 323
cattle assay,
acaricide, 526
in vivo screening, 526
ixodid, 526
rat assay, 526
ceiling net,
adult mosquito collection, 473
Anopheles, 473
Kenya, 473
resting box, 473
ceratopogonids,
Culicoides, 1020
Louisiana, 1020
West Nile virus, 1020
Chagas disease, 143, 902, 1252
flight initiation, 143
peridomestic, 902
pyrethroid, 902
reinfestation, 143
risk factor analysis, 1252
Triatoma infestans, 902
Triatoma pallidipennis, 1252
Triatominae, 143
triatomine, 1252
vector control, 902
vector ecology, 1252
chemokine,
adhesion molecule, 910
Sarcoptes scabiei, 910
scabies mite, 910
vascular endothelium, 910
chicken,
Culex p. pipiens, 83
Culex restuans, 83
house sparrow, 83
West Nile virus, 83
chigger,
bat, 128
Plecotus auritus, 128
Trombiculidae, 128
Whartonia (Fasctonia) natsumei n. sp., 128
Chiroptera,
ectoparasites, 433
host choice, 433
Streblidae, 433
chlorpyrifos-methyl,
Culex pipiens, 1195
mosquito control, 1195
septic tanks, 1195
temephos, 1195
Chrysomya rufifacies,
forensic science, 1287
workshop, 1287
Cimex lectularius,
control strategies, 696
endosymbiont, 696
pesticide resistance, 696
Wolbachia, 696
classification and regression trees,
mosquito species, 375
Ross River virus, 375
time series Poisson regression model, 375
climate,
Brazil, 990
Lutzomyia longipalpis, 990
seasonality, 990
visceral leishmaniasis, 990

Cochliomyia macellaria,
bacteria, 1129
flies, 1129
larval development, 1129
cold hardiness,
adult diapause, 713
desiccation resistance, 713
hsp70, 713
supercooling point, 713
colonization, 107, 962
Anopheles aquasalis, 107
Brazilian Amazon, 107
flora, 962
infection, 962
malaria vector, 107
spider, 962
Staphylococcus aureus, 962
colored nets,
deltamethrin, 875
dipping, 875
washing, 875
competition,
Aedes aegypti, 484
dengue, 484
ecology, 484
food limitation, 484
competitors,
An. gambiae, 221
oviposition, 221
predators, 221
site selection, 221
complement,
Borrelia afzelii, 1208
cytokines, 1208
Ixodes ricinus, 1208
phagocytosis, 1208
conditioned and naïve response,
Culex pipiens pipiens molestus, 1164
flower odor, 1164
phenyl acetaldehyde, 1164
Silene otites, 1164
conserved primers,
control region, 636
Diptera, 636
mitochondrial DNA, 636
tRNAs, 636
constructed wetlands,
ammonium nitrogen, 1153
bacteria, 1153
Culex, 1153
denaturing gradient gel electrophoresis, 1153
control, 647, 723
alternative, 723
Iraq, 647
leishmaniasis, 647
Pediculus humanus capitis, 723
Pediculus humanus humanus, 723
sand flies, 647
surveillance, 647
control region,
conserved primers, 636
Diptera, 636
mitochondrial DNA, 636
tRNAs, 636
control strategies,
Cimex lectularius, 696
endosymbiont, 696
pesticide resistance, 696
Wolbachia, 696
Corymbia citriodora,
Ixodes ricinus, 731
lemon eucalyptus, 731
p-menthane-3,8-diol, 731
plant oils, 731
counterflow geometry,
Culex, 1121
surveillance, 1121
traps, 1121
West Nile virus, 1121
cross-resistance,
Aedes aegypti, 1185
Cuba, 1185
insensitive acetylcholinesterase, 1185
crude rate,
empirical Bayes, 777
fully Bayesian, 777
Lyme disease, 777
spatiotemporal, 777
Cuba,
Aedes aegypti, 1185
cross-resistance, 1185
insensitive acetylcholinesterase, 1185
Culex, 225, 1121, 1134, 1153
Aedes, 1134
ammonium nitrogen, 1153
bacteria, 1153
birds, 225
carbon dioxide, 225
constructed wetlands, 1153
counterflow geometry, 1121
denaturing gradient gel electrophoresis, 1153
Florida, 1134
host attraction, 225
rural, 1134
surveillance, 1121
traps, 1121
urban, 1134
West Nile virus, 1121
Culex (*Lutzia*) *fuscanus*,
feeding behavior, 785
larva, 785
prey, 785
Culex p. pipiens,
chicken, 83
Culex restuans, 83
house sparrow, 83
West Nile virus, 83
Culex pipiens, 177, 552, 574, 878, 966, 1010, 1195
acetylcholinesterase, 878
Aedes triseriatus, 966
Aedes vexans, 1010
bloodmeal host utilization, 552
chlorpyrifos-methyl, 1195
Culex restuans, 1010
Culex restuans; West Nile Virus, 177
Culex salinarius, 1010
Dirofilaria, 574
gene mutation, 878
insecticide resistance, 878
Italy, 574
mosquito control, 1195
mosquito diversity, 552
parity, 177
septic tanks, 1195
temephos, 1195
vector, 574
vector competence, 966
vertical distribution, 177
Volgograd, 552
West Nile virus, 552, 966, 1010
Culex pipiens complex,
hybrid zone, 1227
oviposition activity period, 1227
pipiens, 1227
West Nile virus, 1227
Culex pipiens pallens,
ginkgo exocarp, 258
larvicidal activity, 258
Culex pipiens pipiens molestus,
conditioned and naïve response, 1164
flower odor, 1164
phenyl acetaldehyde, 1164
Silene otites, 1164
Culex pipiens quinquefasciatus, 344, 356
American crow, 356
Culex tarsalis, 344, 356
overwintering, 344
southern California, 344
West Nile virus, 344, 356
western scrub-jay, 356
Culex quinquefasciatus, 25, 207, 726
behavioral response, 207
binary toxin, 726
Culex tarsalis, 25
delayed effect, 726
EAG, 207
ecological stoichiometry, 25
human skin emanations, 207
larval mosquito nutritional physiology, 25
Mtx1, 726
semiochemicals, 207

Culex restuans, 83, 177, 1010
Aedes vexans, 1010
chicken, 83
Culex p. pipiens, 83
Culex pipiens, 177, 1010
Culex salinarius, 1010
house sparrow, 83
parity, 177
vertical distribution, 177
West Nile virus, 83, 1010
Culex salinarius,
Aedes vexans, 1010
Culex pipiens, 1010
Culex restuans, 1010
West Nile virus, 1010
Culex tarsalis, 25, 309, 344, 356, 1034
American crow, 356
Culex pipiens quinquefasciatus, 344, 356
Culex quinquefasciatus, 25
degree-days, 309
discharge water, 1034
ecological stoichiometry, 25
larval mosquito nutritional physiology, 25
overwintering, 344
risk, 1034
southern California, 344
temperature, 309
transmission, 309
West Nile virus, 309, 344, 356
western scrub-jay, 356
Culex theileri,
Dirofilaria immitis, 104
Portugal, 104
vector, 104
Culex vishnui,
development, 185
Japanese encephalitis, 185
survival, 185
vector, 185
Culicidae,
allozymes, 455
Anopheles, 455
RAPD, 455
taxonomy, 455
Culicoides, 73, 323, 568, 840, 1020
abundance, 840
Bluetongue virus, 73
cattle, 323, 840
ceratopogonids, 1020
Louisiana, 1020
oral susceptibility, 73
species composition, 840
vector competence, 73, 323, 568
vesicular stomatitis, 323, 568
West Nile virus, 1020
Culiseta longiareolata,
mosquito, 493
Notonecta maculata, 493
oviposition site selection, 493
pool depth, 493
Culiseta melanura,
Aedes vexans, 1088
host-feeding pattern, 1088
mosquito, 1088
West Nile virus, 1088
cytochrome oxidase I,
Aedes, 40
dengue vector, 40
internal transcribed spacer 2, 40
phylogeny, 40
cytochrome P450 monooxygenases,
Aedes aegypti, 55
dengue, 55
mosquito control, 55
new insecticides, 55
cytogenetic photomap,
Anopheles stephensi, 861
fluorescent in situ hybridization, 861
polytene chromosomes, 861
cytokines,
Borrelia afzelii, 1208
complement, 1208
Ixodes ricinus, 1208
phagocytosis, 1208
cytoplasmic incompatibility,
Aedes albopictus, 689
immature survivorship, 689
population replacement, 689
Wolbachia, 689

D

decision support,
insecticide resistance, 663
malaria, 663
deer browse-resistant exotic-invasive plants,
blacklegged ticks, 1142
habitat, 1142
hosts, 1142
Ixodes scapularis, 1142
degree-day analysis,
blow flies, 1276
post-mortem interval, 1276
temperature thresholds, 1276
degree-days,
Culex tarsalis, 309
temperature, 309
transmission, 309
West Nile virus, 309
delayed effect,
binary toxin, 726
Culex quinquefasciatus, 726
Mtx1, 726
deltamethrin,
colored nets, 875
dipping, 875
washing, 875
denaturing gradient gel electrophoresis,
ammonium nitrogen, 1153
bacteria, 1153
constructed wetlands, 1153
Culex, 1153
dengue, 55, 214, 330, 484
Aedes, 214
Aedes aegypti, 55, 484
Aedes breeding, 330
competition, 484
cytochrome P450 monooxygenases, 55
ecology, 484
food limitation, 484
mosquito control, 55
new insecticides, 55
ovitraps, 214
Panicum maximum, 214
Socioeconomic status, 330
surveillance, 330
tree holes, 330
yellow fever, 214
dengue vector,
Aedes, 40
cytochrome oxidase I, 40
internal transcribed spacer 2, 40
phylogeny, 40
density,
Anopheles, 820
irrigation, 820
size, 820
survivorship, 820
DEPA,
black flies, 518
mosquitoes, 518
repellent, 518
sand flies, 518
Dermacentor,
geographical distribution, 415
Haemaphysalis, 415
Ixodes, 415
modeling, 415
Dermacentor albipictus,
establishment, 810
Illinois, 810
Ixodes scapularis, 810
white-tailed deer, 810
Dermacentor andersoni, 17, 971
Anaplasma marginale, 971
bison, 971
distribution, 17
ticks, 971
transmission, 971
United States, 17
Dermacentor variabilis,
Amblyomma americanum, 61
Borrelia burgdorferi, 61
Ixodes scapularis, 61
Lyme disease, 61

desiccation resistance,
adult diapause, 713
cold hardiness, 713
hsp70, 713
supercooling point, 713
detritus,
bottom-up effects, 828
discing, 828
paddy, 828
development,
Culex vishnui, 185
Japanese encephalitis, 185
survival, 185
vector, 185
diagnosis,
ELISA, 248
Leishmania tropica, 248
Phlebotomus sergenti, 248
Turkey, 248
digestive tract,
antibody, 539
immunoglobulin, 539
Sarcoptes scabiei, 539
vaccine, 539
dipping,
colored nets, 875
deltamethrin, 875
washing, 875
Diptera,
conserved primers, 636
control region, 636
mitochondrial DNA, 636
tRNAs, 636
Dirofilaria,
Culex pipiens, 574
Italy, 574
vector, 574
Dirofilaria immitis,
Culex theileri, 104
Portugal, 104
vector, 104
discharge water,
Culex tarsalis, 1034
risk, 1034
discing,
bottom-up effects, 828
detritus, 828
paddy, 828
disease reservoirs,
arthropod vectors, 743
Borrelia burgdorferi, 743
Ixodes, 743
Neotoma fuscipes, 743
dispersal, 1, 1112
Aedes aegypti, 1112
Aedes albopictus, 1, 1112
invasion, 1
New Zealand, 1
Stegomyia, 1112
yellow fever, 1112
distribution, 17, 138, 762
Borrelia burgdorferi, 762
breeding sites, 138
Dermacentor andersoni, 17
first record, 138
Ixodes scapularis, 762
Lyme disease, 762
Ochlerotatus japonicus, 138
Ontario, 138, 762
United States, 17
DNA,
Aedes, 795
phylogeny, 795
pitcher plant, 795
Stegomyia, 795

E

EAG,
behavioral response, 207
Culex quinquefasciatus, 207
human skin emanations, 207
semiochemicals, 207
ecdysis,
azadirachtin, 262
ecdysone, 262
Lutzomyia longipalpis, 262
metamorphosis, 262
ecdysone,
azadirachtin, 262
ecdysis, 262
Lutzomyia longipalpis, 262
metamorphosis, 262
ecological genetics,
Calliphoridae, 1023
forensic entomology, 1023
life history, 1023
Lucilia sericata, 1023
ecological niche models,
malaria, 1068
mosquitoes, 1068
ecological stoichiometry,
Culex quinquefasciatus, 25
Culex tarsalis, 25
larval mosquito nutritional physiology, 25
ecology,
Aedes aegypti, 484
competition, 484
dengue, 484
food limitation, 484
ectoparasites, 433, 789
Chiroptera, 433
Haller park wildlife, 789
host choice, 433
hosts, 789
Streblidae, 433
tick-host associations, 789
ticks, 789
egg batch size,
Anopheles gambiae, 833
body size, 833
egg size, 833
fecundity, 833
egg buster,
Aedes aegypti, 68
first instar, 68
hatching, 68
egg size,
Anopheles gambiae, 833
body size, 833
egg batch size, 833
fecundity, 833
Ehrlichia,
Amblyomma americanum, 1261
Borrelia, 1261
Rickettsia, 1261
ELISA,
diagnosis, 248
Leishmania tropica, 248
Phlebotomus sergenti, 248
Turkey, 248
emergence,
mosquitoes, 594
New Mexico Rio Grande, 594
West Nile virus, 594
empirical Bayes,
crude rate, 777
fully Bayesian, 777
Lyme disease, 777
spatiotemporal, 777
encounter frequencies,
A. americanum, 1269
Borrelia, 1269
I. scapularis, 1269
infection prevalence, 1269
endemism,
Macaronesian Islands, 232
Ochlerotatus eatoni, 232
population structure, 232
endosymbiont,
Cimex lectularius, 696
control strategies, 696
pesticide resistance, 696
Wolbachia, 696
entomological inoculation rate,
altitude, 580
Anopheles arabiensis, 580
malaria, 580
Tanzania, 580
enzyme,
allergen, 1200
proteases, 1200
epidemiology, 505, 623
arboviruses, 623
Gaza Governorates, 505
Pediculus humanus capitis, 505
prevalence, 505
vector infection, 623
viremia, 623
essential oils, 113, 889
Argentinean plants, 889
fumigants, 889
Guinea-Bissau, 113
head lice, 889

mosquito repellents, 113
phytochemicals, 113
repellents, 889
Sweden, 113
establishment,
Dermacentor albipictus, 810
Illinois, 810
Ixodes scapularis, 810
white-tailed deer, 810
evolutionary relationships,
molecular phylogeny, 443
mosquito, 443
Ochlerotatus, 443
taxonomy, 443
exotic species,
foreign animal disease, 1099
imported animals, 1099
zoonotic disease, 1099
external disinfection,
Alphitobius diaperinus, 916
bacteria, 916
lesser mealworm, 916
poultry litter beetle, 916

F

Fannia,
Aptenia, 192
Fanniinae, 192
Muscidae, 192
Fannia benjamini,
attractant, 467
"canyon flies", 467
CO_2, 467
Fannia conspicua, 467
Fannia conspicua,
attractant, 467
"canyon flies", 467
CO_2, 467
Fannia benjamini, 467
Fanniinae,
Aptenia, 192
Fannia, 192
Muscidae, 192
fecundity,
Anopheles gambiae, 833
body size, 833
egg batch size, 833
egg size, 833
feeding behavior,
Culex (*Lutzia*) *fuscanus*, 785
larva, 785
prey, 785
feeding ecology,
Anopheles gambiae larvae, 669
surface layer algae, 669
feeding indices,
Aedes albopictus, 543
blood feeding, 543
host availability, 543
microsatellite analyses, 543
filarial parasite,
anticoagulant, 1222
mosquito, 1222
susceptibility, 1222
first instar,
Aedes aegypti, 68
egg buster, 68
hatching, 68
first record,
breeding sites, 138
distribution, 138
Ochlerotatus japonicus, 138
Ontario, 138
fleas,
California, 93
GARP, 93
plague, 93
vector, 93
flies,
bacteria, 1129
Cochliomyia macellaria, 1129
larval development, 1129
flight initiation,
Chagas disease, 143
reinfestation, 143
Triatominae, 143
flora,
colonization, 962
infection, 962
spider, 962
Staphylococcus aureus, 962
Florida,
Aedes, 1134
Culex, 1134
rural, 1134
urban, 1134
flower odor,
conditioned and naïve response, 1164
Culex pipiens pipiens molestus, 1164
phenyl acetaldehyde, 1164
Silene otites, 1164
fluorescent in situ hybridization,
Anopheles stephensi, 861
cytogenetic photomap, 861
polytene chromosomes, 861
fly abundance,
Southern India, 631
tsunami, 631
food limitation,
Aedes aegypti, 484
competition, 484
dengue, 484
ecology, 484
foreign animal disease,
exotic species, 1099
imported animals, 1099
zoonotic disease, 1099
forensic entomology,
Calliphoridae, 1023
ecological genetics, 1023
life history, 1023
Lucilia sericata, 1023
forensic science,
Chrysomya rufifacies, 1287
workshop, 1287
fully Bayesian,
crude rate, 777
empirical Bayes, 777
Lyme disease, 777
spatiotemporal, 777
fumigants,
Argentinean plants, 889
essential oils, 889
head lice, 889
repellents, 889

G

GARP,
California, 93
fleas, 93
plague, 93
vector, 93
Gaza Governorates,
epidemiology, 505
Pediculus humanus capitis, 505
prevalence, 505
GE-rich,
Anopheles, 867
malaria, 867
mosquito, 867
salivary gland, 867
gene identification,
Babesia bovis, 9
Boophilus microplus, 9
genome sequence, 9
molecular genetics, 9
gene mutation,
acetylcholinesterase, 878
Culex pipiens, 878
insecticide resistance, 878
gene variability,
mitochondrial genome, 701
molecular taxonomy, 701
nuclear genome, 701
Onchocerca volvulus, 701
genome sequence,
Babesia bovis, 9
Boophilus microplus, 9
gene identification, 9
molecular genetics, 9
geographic range,
habitat, 403
Ixodes scapularis, 403
remote sensing, 403
survival, 403
geographical distribution,
Dermacentor, 415
Haemaphysalis, 415
Ixodes, 415
modeling, 415

geographical information system,
Gran Chaco, 1060
house infestation pattern, 1060
peridomestic infestation, 1060
T. infestans, 1060
geometric morphometrics,
Glossina palpalis, 853
Guinea, 853
microsatellite DNA, 853
wings, 853
Getah,
Japanese encephalitis, 1076
Korea, 1076
mosquitoes, 1076
virus, 1076
West Nile, 1076
ginkgo exocarp,
Culex pipiens pallens, 258
larvicidal activity, 258
GIS,
Anopheles darlingi, 382
Belize, 382
larval habitats, 382
remote sensing, 382
Glossina, 301, 564
isometamidium chloride, 564
proteolytic lectin, 301
transmission, 564
Trypanosoma brucei brucei, 564
Trypanosoma congolense, 564
trypanosome, 301
tsetse fly, 301
Glossina palpalis,
geometric morphometrics, 853
Guinea, 853
microsatellite DNA, 853
wings, 853
glutathione *S*-transferase,
insecticide resistance, 1171
Iran, 1171
malaria vectors, 1171
Gran Chaco,
geographical information system, 1060
house infestation pattern, 1060
peridomestic infestation, 1060
T. infestans, 1060
greenness and wetness indices,
Landsat TM data, 337
Lyme disease, 337
remote sensing, 337
tick abundance, 337
Guinea,
geometric morphometrics, 853
Glossina palpalis, 853
microsatellite DNA, 853
wings, 853
Guinea-Bissau,
essential oils, 113
mosquito repellents, 113
phytochemicals, 113
Sweden, 113

H

habitat, 403, 1142
blacklegged ticks, 1142
deer browse-resistant exotic-invasive plants, 1142
geographic range, 403
hosts, 1142
Ixodes scapularis, 403, 1142
remote sensing, 403
survival, 403
Haemaphysalis,
Dermacentor, 415
geographical distribution, 415
Ixodes, 415
modeling, 415
Haematobia irritans irritans,
insecticide bioassays, 896
kdr, 896
pyrethroid resistance, 896
Haller park wildlife,
ectoparasites, 789
hosts, 789
tick-host associations, 789
ticks, 789
hatching,
Aedes aegypti, 68
egg buster, 68
first instar, 68
head lice, 110, 889
Argentinean plants, 889
Bartonella quintana, 110
essential oils, 889
fumigants, 889
Nepal, 110
PCR, 110
repellents, 889
trench fever, 110
height,
carbon dioxide, 151
light trap, 151
octenol, 151
trapping scheme, 151
hematophagous,
biogenic amine, 252
midgut, 252
highlands,
Anopheles funestus, 200
Anopheles gambiae, 200
population dynamics, 200
horizontal transfer,
antibiotic resistance, 288
house fly gut, 288
Musca domestica, 288
shiga toxin, 288
host attraction,
birds, 225
carbon dioxide, 225
Culex, 225
host availability,
Aedes albopictus, 543
blood feeding, 543
feeding indices, 543
microsatellite analyses, 543
host choice,
Chiroptera, 433
ectoparasites, 433
Streblidae, 433
host selection,
human blood index, 947
mixed bloodmeals, 947
mosquitoes, 947
host-baited collections,
Camargue, 936
mosquito potential vectors, 936
West Nile fever, 936
host-feeding pattern,
Aedes vexans, 1088
Culiseta melanura, 1088
mosquito, 1088
West Nile virus, 1088
hosts, 789, 1142
blacklegged ticks, 1142
deer browse-resistant exotic-invasive plants, 1142
ectoparasites, 789
habitat, 1142
Haller park wildlife, 789
Ixodes scapularis, 1142
tick-host associations, 789
ticks, 789
house fly gut,
antibiotic resistance, 288
horizontal transfer, 288
Musca domestica, 288
shiga toxin, 288
house infestation pattern,
geographical information system, 1060
Gran Chaco, 1060
peridomestic infestation, 1060
T. infestans, 1060
house sparrow,
chicken, 83
Culex p. pipiens, 83
Culex restuans, 83
West Nile virus, 83
hsp70,
adult diapause, 713
cold hardiness, 713
desiccation resistance, 713
supercooling point, 713
human blood index, 774, 947
Anopheles ziemanni, 774
host selection, 947
Kenya, 774
malaria, 774
mixed bloodmeals, 947
mosquitoes, 947
sporozoite infection, 774

human lymphocytes,
IFNγ, 283
IL-10, 283
mononuclear cells, 283
T-regulatory cells, 283
human skin emanations,
behavioral response, 207
Culex quinquefasciatus, 207
EAG, 207
semiochemicals, 207
hybrid zone,
Culex pipiens complex, 1227
oviposition activity period, 1227
pipiens, 1227
West Nile virus, 1227
2-(2-hydroxyethyl)-1-piperidine carboxylic acid 1-methylpropyl ester (1S, 2′S)methylpiperidinyl-3-cyclohexene-1-carboxamide, 34
malaria vector, 34
N,N-diethyl-3-methylbenzamide, 34
yellowfever mosquito, 34

I

Iberian Peninsula,
18S and ITS-2 rDNA sequences, 508
Anopheles, 508
malaria, 508
phylogenetic analysis, 508
IFNγ,
human lymphocytes, 283
IL-10, 283
mononuclear cells, 283
T-regulatory cells, 283
IL-10,
human lymphocytes, 283
IFNγ, 283
mononuclear cells, 283
T-regulatory cells, 283
Illinois,
Dermacentor albipictus, 810
establishment, 810
Ixodes scapularis, 810
white-tailed deer, 810
immature survivorship,
Aedes albopictus, 689
cytoplasmic incompatibility, 689
population replacement, 689
Wolbachia, 689
immunoglobulin,
antibody, 539
digestive tract, 539
Sarcoptes scabiei, 539
vaccine, 539
imported animals,
exotic species, 1099
foreign animal disease, 1099
zoonotic disease, 1099
in vivo screening,
acaricide, 526
cattle assay, 526
ixodid, 526
rat assay, 526
infection,
colonization, 962
flora, 962
spider, 962
Staphylococcus aureus, 962
infection prevalence, 600, 1269
A. americanum, 1269
Borrelia, 1269
Borrelia burgdorferi, 600
encounter frequencies, 1269
I. scapularis, 1269
Ixodes scapularis, 600
Lyme borreliosis, 600
spatial distribution, 600
insecticide bioassays,
Haematobia irritans irritans, 896
kdr, 896
pyrethroid resistance, 896
insecticide resistance, 267, 276, 663, 878, 1082, 1171
acetylcholinesterase, 878
Anopheles arabiensis, 276
Anopheles funestus, 267
Anopheles gambiae, 276, 1082
Culex pipiens, 878
decision support, 663
gene mutation, 878
glutathione S-transferase, 1171
Iran, 1171
Ivory Coast, 1082
malaria, 663, 1082
malaria vectors, 1171
Mozambique, 267, 276
pyrethroids, 267
insecticide-treated bednets,
Africa, 428
malaria, 428
insensitive acetylcholinesterase,
Aedes aegypti, 1185
cross-resistance, 1185
Cuba, 1185
internal transcribed spacer 2,
Aedes, 40
cytochrome oxidase I, 40
dengue vector, 40
phylogeny, 40
invasion,
Aedes albopictus, 1
dispersal, 1
New Zealand, 1
Iran,
glutathione S-transferase, 1171
insecticide resistance, 1171
malaria vectors, 1171
Iraq,
control, 647
leishmaniasis, 647
sand flies, 647
surveillance, 647
irrigation, 820, 996
Anopheles, 820
density, 820
mosquito production, 996
Pakistan, 996
ponds, 996
size, 820
survivorship, 820
wastewater, 996
isometamidium chloride,
Glossina, 564
transmission, 564
Trypanosoma brucei brucei, 564
Trypanosoma congolense, 564
Italy, 159, 574
Borrelia lusitaniae, 159
Culex pipiens, 574
Dirofilaria, 574
Ixodes ricinus, 159
Rhipicephalus, 159
spotted fever group rickettsiae, 159
vector, 574
itching bites,
mite, 610
Pyemotes herfsi, 610
ITS2,
Anopheles fluminensis, 460
PCR identification, 460
repeat units, 460
Ivory Coast,
Anopheles gambiae, 1082
insecticide resistance, 1082
malaria, 1082
Ixodes, 415, 743
arthropod vectors, 743
Borrelia burgdorferi, 743
Dermacentor, 415
disease reservoirs, 743
geographical distribution, 415
Haemaphysalis, 415
modeling, 415
Neotoma fuscipes, 743
Ixodes pacificus, 120, 368
birds, 368
Borrelia burgdorferi, 368
Borrelia miyamotoi, 120
California, 120
relapsing-fever group spirochetes, 120

Ixodes ricinus, 159, 731, 737, 1208
Borrelia afzelii, 1208
Borrelia lusitaniae, 159, 737
complement, 1208
Corymbia citriodora, 731
cytokines, 1208
Italy, 159
lemon eucalyptus, 731
p-menthane-3,8-diol, 731
phagocytosis, 1208
plant oils, 731
Psammodromus algirus, 737
reservoir, 737
Rhipicephalus, 159
spotted fever group rickettsiae, 159
xenodiagnosis, 737
Ixodes scapularis, 61, 403, 437, 600, 762, 810, 957, 1142, 1269
Amblyomma americanum, 61, 1269
Anaplasma phagocytophilum, 437
Babesia odocoilei, 437
blacklegged tick, 437, 1142
Borrelia, 1269
Borrelia burgdorferi, 61, 600, 762
deer browse-resistant exotic-invasive plants, 1142
Dermacentor albipictus, 810
Dermacentor variabilis, 61
distribution, 762
encounter frequencies, 1269
establishment, 810
geographic range, 403
habitat, 403, 1142
hosts, 1142
Illinois, 810
infection prevalence, 600, 1269
Lyme borreliosis, 600
Lyme disease, 61, 762, 957
natural products, 957
Ontario, 762
polymerase chain reaction, 437
remote sensing, 403
spatial distribution, 600
survival, 403
tick repellent, 957
white-tailed deer, 810
Ixodes scapularis nymphs, *Borrelia burgdorferi*, 166
phenology, 166
risk mapping, 166
spatial clustering, 166
ixodid,
acaricide, 526
cattle assay, 526
in vivo screening, 526
rat assay, 526
Ixodidae,
Acari, 707
acetylcholinesterase, 707
kinetics, 707
tick, 707

J

Japanese encephalitis, 185, 296, 1076
Culex vishnui, 185
development, 185
Getah, 1076
Korea, 1076
mosquitoes, 296, 1076
survival, 185
transmission, 296
Uzbekistan, 296
vector, 185
virus, 1076
West Nile, 296, 1076
Japanese encephalitis virus, *Armigeres subalbatus*, 752
parallel infection, 752
Wolbachia, 752

K

kdr,
Haematobia irritans irritans, 896
insecticide bioassays, 896
pyrethroid resistance, 896
Kenya, 473, 774
adult mosquito collection, 473
Anopheles, 473
Anopheles ziemanni, 774
ceiling net, 473
human blood indices, 774
malaria, 774
resting box, 473
sporozoite infection, 774
keys,
16S sequence, 801
Argas (Persicargas) keiransi, 801
New World *Persicargas*, 801
kinetics,
Acari, 707
acetylcholinesterase, 707
Ixodidae, 707
tick, 707
knockdown resistance,
bioassay, 533
Pediculus capitis, 533
Pediculus humanus, 533
pyrethroid resistance, 533
Korea,
Getah, 1076
Japanese encephalitis, 1076
mosquitoes, 1076
virus, 1076
West Nile, 1076
kriging,
Aedes albopictus, 976
oviposition, 976
spatial analysis, 976

L

La Crosse encephalitis virus,
Aedes triseriatus, 589
arbovirus, 589
surveillance, 589
West Nile virus, 589
La Crosse virus, 757, 850
Aedes spp., 757
Aedes triseriatus, 850
mating, 850
mosquito, 757
transovarial transmission, 757
land use,
Anopheles, 614
Belize, 614
malaria, 614
transect, 614
Landsat TM data,
greenness and wetness indices, 337
Lyme disease, 337
remote sensing, 337
tick abundance, 337
larva,
Culex (Lutzia) fuscanus, 785
feeding behavior, 785
prey, 785
larval development,
bacteria, 1129
Cochliomyia macellaria, 1129
flies, 1129
larval habitats,
Anopheles darlingi, 382
Belize, 382
GIS, 382
remote sensing, 382
larval mosquito nutritional physiology,
Culex quinquefasciatus, 25
Culex tarsalis, 25
ecological stoichiometry, 25
larvicidal activity,
Culex pipiens pallens, 258
ginkgo exocarp, 258
larvivorous fish,
anopheline mosquito control, 79
larvivorous potential, 79
river bed pools, 79
Sri Lanka, 79
larvivorous potential,
anopheline mosquito control, 79
larvivorous fish, 79
river bed pools, 79
Sri Lanka, 79

Leishmania tropica,
diagnosis, 248
ELISA, 248
Phlebotomus sergenti, 248
Turkey, 248
leishmaniasis,
control, 647
Iraq, 647
sand flies, 647
surveillance, 647
lemon eucalyptus,
Corymbia citriodora, 731
Ixodes ricinus, 731
p-menthane-3,8-diol, 731
plant oils, 731
lesser mealworm,
Alphitobius diaperinus, 916
bacteria, 916
external disinfection, 916
poultry litter beetle, 916
life history,
Calliphoridae, 1023
ecological genetics, 1023
forensic entomology, 1023
Lucilia sericata, 1023
light trap,
carbon dioxide, 151
height, 151
octenol, 151
trapping scheme, 151
Louisiana,
ceratopogonids, 1020
Culicoides, 1020
West Nile virus, 1020
Lucilia sericata,
Calliphoridae, 1023
ecological genetics, 1023
forensic entomology, 1023
life history, 1023
Lutzomyia longipalpis, 262, 990
azadirachtin, 262
Brazil, 990
climate, 990
ecdysis, 262
ecdysone, 262
metamorphosis, 262
seasonality, 990
visceral leishmaniasis, 990
Lyme borreliosis,
Borrelia burgdorferi, 600
infection prevalence, 600
Ixodes scapularis, 600
spatial distribution, 600
Lyme disease, 61, 337, 762, 777, 924, 957
Amblyomma americanum, 61
Borrelia burgdorferi, 61, 762, 924
crude rate, 777
Dermacentor variabilis, 61
distribution, 762
empirical Bayes, 777
fully Bayesian, 777
greenness and wetness indices, 337
Ixodes scapularis, 61, 762, 957
Landsat TM data, 337
mice, 924
natural products, 957
New York state, 924
Ontario, 762
remote sensing, 337
spatiotemporal, 777
tick abundance, 337
tick repellent, 957
ticks, 924

M

Macaronesian Islands,
endemism, 232
Ochlerotatus eatoni, 232
population structure, 232
malaria, 318, 428, 508, 580, 614, 663, 774, 867, 1068, 1082, 1178, 1215
18S and ITS-2 rDNA sequences, 508
Africa, 428
altitude, 580
Anopheles, 508, 614, 867, 1215
Anopheles arabiensis, 580
Anopheles funestus, 1178
Anopheles gambiae, 1082
Anopheles ziemanni, 774
Belize, 614
Cameroon, 1215
decision support, 663
ecological niche models, 1068
entomological inoculation rate, 580
GE-rich, 867
human blood indices, 774
Iberian Peninsula, 508
insecticide resistance, 663, 1082
insecticide-treated bednets, 428
Ivory Coast, 1082
Kenya, 774
land use, 614
mosquito, 318, 867
mosquitoes, 1068
phylogenetic analysis, 508
Plasmodium, 318, 1215
population structure, 1178
restriction fragment length polymorphism types, 1178
salivary gland, 867
sporozoite infection, 774
Tanzania, 580
transect, 614
vectors, 1215
xanthurenic acid, 318
malaria vector, 34, 107
(1S, 2′S)-methylpiperidinyl-3-cyclohexene-1-carboxamide, 34
2-(2-hydroxyethyl)-1-piperidine carboxylic acid 1-methylpropyl ester, 34
Anopheles aquasalis, 107
Brazilian Amazon, 107
colonization, 107
N,N-diethyl-3-methylbenzamide, 34
yellowfever mosquito, 34
malaria vectors,
glutathione *S*-transferase, 1171
insecticide resistance, 1171
Iran, 1171
mating,
Aedes triseriatus, 850
La Crosse virus, 850
mating behavior,
Anopheles gambiae, 480
mixed swarms, 480
molecular M and S forms, 480
metamorphosis,
azadirachtin, 262
ecdysis, 262
ecdysone, 262
Lutzomyia longipalpis, 262
mice,
Borrelia burgdorferi, 924
Lyme disease, 924
New York state, 924
ticks, 924
microbial biomass,
bacteria, 677
Ochlerotatus triseriatus larvae, 677
soluble nutrients, 677
stemflow, 677
tree holes, 677
microsatellite analyses,
Aedes albopictus, 543
blood feeding, 543
feeding indices, 543
host availability, 543
microsatellite DNA,
geometric morphometrics, 853
Glossina palpalis, 853
Guinea, 853
wings, 853
microsatellite loci,
sibling species, 640
species complex, 640
tsetse flies, 640
midgut,
biogenic amine, 252
hematophagous, 252
mite,
itching bites, 610
Pyemotes herfsi, 610

mitochondrial DNA,
conserved primers, 636
control region, 636
Diptera, 636
tRNAs, 636
mitochondrial genome,
gene variability, 701
molecular taxonomy, 701
nuclear genome, 701
Onchocerca volvulus, 701
mixed bloodmeals,
host selection, 947
human blood index, 947
mosquitoes, 947
mixed swarms,
Anopheles gambiae, 480
mating behavior, 480
molecular M and S forms, 480
mixture,
Aedes aegypti, 1190
pyriproxyfen, 1190
spinosad, 1190
synergism, 1190
modeling,
Dermacentor, 415
geographical distribution, 415
Haemaphysalis, 415
Ixodes, 415
molecular genetics,
Babesia bovis, 9
Boophilus microplus, 9
gene identification, 9
genome sequence, 9
molecular M and S forms,
Anopheles gambiae, 480
mating behavior, 480
mixed swarms, 480
molecular phylogeny,
evolutionary relationships, 443
mosquito, 443
Ochlerotatus, 443
taxonomy, 443
molecular taxonomy,
gene variability, 701
mitochondrial genome, 701
nuclear genome, 701
Onchocerca volvulus, 701
mononuclear cells,
human lymphocytes, 283
IFNγ, 283
IL-10, 283
T-regulatory cells, 283
mosquito, 238, 296, 318, 443, 493, 518, 594, 757, 867, 947, 1042, 1068, 1076; 1088, 1222
Aedes spp., 757
Aedes vexans, 1088
Anopheles, 867
anticoagulant, 1222
black flies, 518
Culiseta longiareolata, 493
Culiseta melanura, 1088
DEPA, 518
ecological niche models, 1068
emergence, 594
evolutionary relationships, 443
filarial parasite, 1222
GE-rich, 867
Getah, 1076
host selection, 947
host-feeding pattern, 1088
human blood index, 947
Japanese encephalitis, 296, 1076
Korea, 1076
La Crosse virus, 757
malaria, 318, 867, 1068
mixed bloodmeals, 947
molecular phylogeny, 443
New Mexico Rio Grande, 594
Notonecta maculata, 493
Ochlerotatus, 443
oligonucleotide ligation assay, 238
oviposition site selection, 493
Plasmodium, 318
pool depth, 493
repellent, 518
Ross River virus, 1042
salivary gland, 867
sand flies, 518
SaTScan, 1042
single nucleotide polymorphisms, 238
spatial statistics, 1042
susceptibility, 1222
taxonomy, 443
transmission, 296
transovarial transmission, 757
Uzbekistan, 296
vector-borne disease, 1042
virus, 1076
West Nile, 296, 1076
West Nile virus, 594, 1088
xanthurenic acid, 318
mosquito control, 55, 1195
Aedes aegypti, 55
chlorpyrifos-methyl, 1195
Culex pipiens, 1195
cytochrome P450 monooxygenases, 55
dengue, 55
new insecticides, 55
septic tanks, 1195
temephos, 1195
mosquito diversity,
bloodmeal host utilization, 552
Culex pipiens, 552
Volgograd, 552
West Nile virus, 552
mosquito potential vectors,
Camargue, 936
host-baited collections, 936
West Nile fever, 936
mosquito production,
irrigation, 996
Pakistan, 996
ponds, 996
wastewater, 996
mosquito repellents,
essential oils, 113
Guinea-Bissau, 113
phytochemicals, 113
Sweden, 113
mosquito species,
classification and regression trees, 375
Ross River virus, 375
time series Poisson regression model, 375
Mozambique, 267, 276
Anopheles arabiensis, 276
Anopheles funestus, 267
Anopheles gambiae, 276
insecticide resistance, 267, 276
pyrethroids, 267
Mtx1,
binary toxin, 726
Culex quinquefasciatus, 726
delayed effect, 726
Musca domestica,
antibiotic resistance, 288
horizontal transfer, 288
house fly gut, 288
shiga toxin, 288
Muscidae,
Aptenia, 192
Fannia, 192
Fanniinae, 192

N

N,N,-diethyl[3-(trifluoromethyl)] benzamide,
(1*S*,2′*S*)-methylpiperidinyl-3-cyclohexene-1-carboxamide, 1248
N,N-diethyl(3-bromophenyl) acetamide, 1248
N,N-diethyl-3-methylbenzamide, 1248
N,N-diethyl[(α,α,α-trifluoro-*m*-tolyl)]acetamide, 1248
N,N-diethyl(3-bromophenyl) acetamide,
(1*S*,2′*S*)-methylpiperidinyl-3-cyclohexene-1-carboxamide, 1248
N,N,-diethyl[3-(trifluoromethyl)] benzamide, 1248
N,N-diethyl-3-methylbenzamide, 1248
N,N-diethyl[(α,α,α-trifluoro-*m*-tolyl)]acetamide, 1248

N,N-diethyl-3-methylbenzamide, 34, 1248
(1S, 2′S)-methylpiperidinyl-3-cyclohexene-1-carboxamide, 34
(1S,2′S)-methylpiperidinyl-3-cyclohexene-1-carboxamide, 1248
2-(2-hydroxyethyl)-1-piperidine carboxylic acid 1-methylpropyl ester, 34
malaria vector, 34
N,N,-diethyl[3-(trifluoromethyl)] benzamide, 1248
N,N-diethyl(3-bromophenyl) acetamide, 1248
N,N-diethyl[(α,α,α-trifluoro-*m*-tolyl)]acetamide, 1248
yellowfever mosquito, 34
N,N-diethyl[(α,α,α-trifluoro-*m*-tolyl)]acetamide,
(1S,2′S)-methylpiperidinyl-3-cyclohexene-1-carboxamide, 1248
N,N,-diethyl[3-(trifluoromethyl)] benzamide, 1248
N,N-diethyl(3-bromophenyl) acetamide, 1248
N,N-diethyl-3-methylbenzamide, 1248
natural products,
Ixodes scapularis, 957
Lyme disease, 957
tick repellent, 957
Neotoma fuscipes,
arthropod vectors, 743
Borrelia burgdorferi, 743
disease reservoirs, 743
Ixodes, 743
Nepal,
Bartonella quintana, 110
head lice, 110
PCR, 110
trench fever, 110
new insecticides,
Aedes aegypti, 55
cytochrome P450 monooxygenases, 55
dengue, 55
mosquito control, 55
New Mexico Rio Grande,
emergence, 594
mosquitoes, 594
West Nile virus, 594
New World *Persicargas*,
16S sequence, 801
Argas (Persicargas) keiransi, 801
keys, 801
New York state,
Borrelia burgdorferi, 924
Lyme disease, 924
mice, 924
ticks, 924
New Zealand,
Aedes albopictus, 1
dispersal, 1
invasion, 1
non-native species,
anaphylaxis, 1094
ponerines, 1094
stinging, 1094
urticaria, 1094
Notonecta maculata,
Culiseta longiareolata, 493
mosquito, 493
oviposition site selection, 493
pool depth, 493
nuclear genome,
gene variability, 701
mitochondrial genome, 701
molecular taxonomy, 701
Onchocerca volvulus, 701

O

Ochlerotatus,
evolutionary relationships, 443
molecular phylogeny, 443
mosquito, 443
taxonomy, 443
Ochlerotatus eatoni,
endemism, 232
Macaronesian Islands, 232
population structure, 232
Ochlerotatus japonicus,
breeding sites, 138
distribution, 138
first record, 138
Ontario, 138
Ochlerotatus triseriatus larvae,
bacteria, 677
microbial biomass, 677
soluble nutrients, 677
stemflow, 677
tree holes, 677
octenol, 151, 643
blood feeding, 643
carbon dioxide, 151
height, 151
light trap, 151
odor attractants, 643
trapping scheme, 151
odor attractants,
blood feeding, 643
octenol, 643
odors,
agarose gels, 498
Anopheles gambiae, 498
bacteria, 498
oviposition, 498
oligonucleotide ligation assay,
mosquitoes, 238
single nucleotide polymorphisms, 238
Olyset net,
Anopheles culicifacies, 884
Anopheles fluviatilis, 884
bioefficacy, 884
wash resistance, 884
Onchocerca volvulus,
gene variability, 701
mitochondrial genome, 701
molecular taxonomy, 701
nuclear genome, 701
Ontario, 138, 762
Borrelia burgdorferi, 762
breeding sites, 138
distribution, 138, 762
first record, 138
Ixodes scapularis, 762
Lyme disease, 762
Ochlerotatus japonicus, 138
oral susceptibility,
Bluetongue virus, 73
Culicoides, 73
vector competence, 73
overwintering,
Culex pipiens quinquefasciatus, 344
Culex tarsalis, 344
southern California, 344
West Nile virus, 344
oviposition, 221, 498, 976
Aedes albopictus, 976
agarose gels, 498
An. gambiae, 221
Anopheles gambiae, 498
bacteria, 498
competitors, 221
kriging, 976
odors, 498
predators, 221
site selection, 221
spatial analysis, 976
oviposition activity period,
Culex pipiens complex, 1227
hybrid zone, 1227
pipiens, 1227
West Nile virus, 1227
oviposition site selection,
Culiseta longiareolata, 493
mosquito, 493
Notonecta maculata, 493
pool depth, 493
ovitraps,
Aedes, 214
dengue, 214
Panicum maximum, 214
yellow fever, 214

P
p-menthane-3,8-diol,
Corymbia citriodora, 731
Ixodes ricinus, 731
lemon eucalyptus, 731
plant oils, 731
paddy,
bottom-up effects, 828
detritus, 828
discing, 828
Pakistan,
irrigation, 996
mosquito production, 996
ponds, 996
wastewater, 996
Panicum maximum,
Aedes, 214
dengue, 214
ovitraps, 214
yellow fever, 214
parallel infection,
Armigeres subalbatus, 752
Japanese encephalitis virus, 752
Wolbachia, 752
parity,
Culex pipiens, 177
Culex restuans; West Nile Virus, 177
vertical distribution, 177
PCR,
Bartonella quintana, 110
head lice, 110
Nepal, 110
trench fever, 110
PCR identification,
Anopheles fluminensis, 460
ITS2, 460
repeat units, 460
pediculosis,
Pediculus humanus humanus, 1103
reduced genomic complexity, 1103
resistance, 1103
Pediculus capitis,
bioassay, 533
knockdown resistance, 533
Pediculus humanus, 533
pyrethroid resistance, 533
Pediculus humanus, 533, 634
bioassay, 533
knockdown resistance, 533
Pediculus capitis, 533
permethrin resistance, 634
pyrethroid resistance, 533
spinosad, 634
Pediculus humanus capitis, 505, 723
alternative, 723
control, 723
epidemiology, 505
Gaza Governorates, 505
Pediculus humanus humanus, 723
prevalence, 505
Pediculus humanus humanus, 723, 1103
alternative, 723
control, 723
pediculosis, 1103
Pediculus humanus capitis, 723
reduced genomic complexity, 1103
resistance, 1103
peridomestic,
Chagas disease, 902
pyrethroid, 902
Triatoma infestans, 902
vector control, 902
peridomestic infestation,
geographical information system, 1060
Gran Chaco, 1060
house infestation pattern, 1060
T. infestans, 1060
permethrin resistance,
Pediculus humanus, 634
spinosad, 634
pesticide resistance,
Cimex lectularius, 696
control strategies, 696
endosymbiont, 696
Wolbachia, 696
phagocytosis,
Borrelia afzelii, 1208
complement, 1208
cytokines, 1208
Ixodes ricinus, 1208
phenology,
Borrelia burgdorferi, 166
Ixodes scapularis nymphs, 166
risk mapping, 166
spatial clustering, 166
phenyl acetaldehyde,
conditioned and naïve response, 1164
Culex pipiens pipiens molestus, 1164
flower odor, 1164
Silene otites, 1164
Phlebotomus sergenti,
diagnosis, 248
ELISA, 248
Leishmania tropica, 248
Turkey, 248
phylogenetic analysis,
18S and ITS-2 rDNA sequences, 508
Anopheles, 508
Iberian Peninsula, 508
malaria, 508
phylogeny, 40, 795
Aedes, 40, 795
cytochrome oxidase I, 40
dengue vector, 40
DNA, 795
internal transcribed spacer 2, 40
pitcher plant, 795
Stegomyia, 795
phytochemicals,
essential oils, 113
Guinea-Bissau, 113
mosquito repellents, 113
Sweden, 113
pipiens,
Culex pipiens complex, 1227
hybrid zone, 1227
oviposition activity period, 1227
West Nile virus, 1227
pitcher plant,
Aedes, 795
DNA, 795
phylogeny, 795
Stegomyia, 795
plague,
California, 93
fleas, 93
GARP, 93
vector, 93
plant oils,
Corymbia citriodora, 731
Ixodes ricinus, 731
lemon eucalyptus, 731
p-menthane-3,8-diol, 731
Plasmodium, 318, 1215
Anopheles, 1215
Cameroon, 1215
malaria, 318, 1215
mosquito, 318
vectors, 1215
xanthurenic acid, 318
Plecotus auritus,
bat, 128
chigger, 128
Trombiculidae, 128
Whartonia (Fasctonia) natsumei n. sp., 128
Poisson regression model,
Aedes solicitans, 393
population dynamics, 393
salt marsh, 393
weather, 393
polymerase chain reaction,
Anaplasma phagocytophilum, 437
Babesia odocoilei, 437
blacklegged tick, 437
Ixodes scapularis, 437
polytene chromosomes,
Anopheles stephensi, 861
cytogenetic photomap, 861

fluorescent in situ hybridization, 861
ponds,
irrigation, 996
mosquito production, 996
Pakistan, 996
wastewater, 996
ponerines,
anaphylaxis, 1094
non-native species, 1094
stinging, 1094
urticaria, 1094
pool depth,
Culiseta longiareolata, 493
mosquito, 493
Notonecta maculata, 493
oviposition site selection, 493
population dynamics, 200, 393
Aedes sollicitans, 393
Anopheles funestus, 200
Anopheles gambiae, 200
highlands, 200
Poisson regression model, 393
salt marsh, 393
weather, 393
population replacement,
Aedes albopictus, 689
cytoplasmic incompatibility, 689
immature survivorship, 689
Wolbachia, 689
population structure, 232, 1178
Anopheles funestus, 1178
endemism, 232
Macaronesian Islands, 232
malaria, 1178
Ochlerotatus eatoni, 232
restriction fragment length polymorphism types, 1178
Portugal,
Culex theileri, 104
Dirofilaria immitis, 104
vector, 104
post-mortem interval,
blow flies, 1276
degree-day analysis, 1276
temperature thresholds, 1276
Potosi virus,
Arbovirus, 1004
Bunyamwera serogroup, 1004
Bunyavirus, 1004
Cache Valley virus, 1004
poultry litter beetle,
Alphitobius diaperinus, 916
bacteria, 916
external disinfection, 916
lesser mealworm, 916
predators,
An. gambiae, 221
competitors, 221
oviposition, 221
site selection, 221
prevalence,
epidemiology, 505
Gaza Governorates, 505
Pediculus humanus capitis, 505
prey,
Culex (*Lutzia*) *fuscanus*, 785
feeding behavior, 785
larva, 785
proteases,
allergen, 1200
enzyme, 1200
proteolytic lectin,
Glossina, 301
trypanosome, 301
tsetse fly, 301
Psammodromus algirus,
Borrelia lusitaniae, 737
Ixodes ricinus, 737
reservoir, 737
xenodiagnosis, 737
Pyemotes herfsi,
itching bites, 610
mite, 610
pyrethroid, 267, 902
Anopheles funestus, 267
Chagas disease, 902
insecticide resistance, 267
Mozambique, 267
peridomestic, 902
Triatoma infestans, 902
vector control, 902
pyrethroid resistance, 533, 896
bioassay, 533
Haematobia irritans irritans, 896
insecticide bioassays, 896
kdr, 896
knockdown resistance, 533
Pediculus capitis, 533
Pediculus humanus, 533
pyriproxyfen,
Aedes aegypti, 1190
mixture, 1190
spinosad, 1190
synergism, 1190

R

RAPD,
allozymes, 455
Anopheles, 455
Culicidae, 455
taxonomy, 455
rat assay,
acaricide, 526
cattle assay, 526
in vivo screening, 526
ixodid, 526
reduced genomic complexity,
pediculosis, 1103
Pediculus humanus humanus, 1103
resistance, 1103
reinfestation,
Chagas disease, 143
flight initiation, 143
Triatominae, 143
relapsing-fever group spirochetes,
Borrelia miyamotoi, 120
California, 120
Ixodes pacificus, 120
remote sensing, 337, 382, 403
Anopheles darlingi, 382
Belize, 382
geographic range, 403
GIS, 382
greenness and wetness indices, 337
habitat, 403
Ixodes scapularis, 403
Landsat TM data, 337
larval habitats, 382
Lyme disease, 337
survival, 403
tick abundance, 337
repeat units,
Anopheles fluminensis, 460
ITS2, 460
PCR identification, 460
repellent, 518, 889
Argentinean plants, 889
black flies, 518
DEPA, 518
essential oils, 889
fumigants, 889
head lice, 889
mosquitoes, 518
sand flies, 518
reservoir,
Borrelia lusitaniae, 737
Ixodes ricinus, 737
Psammodromus algirus, 737
xenodiagnosis, 737
resistance,
pediculosis, 1103
Pediculus humanus humanus, 1103
reduced genomic complexity, 1103
resting box,
adult mosquito collection, 473
Anopheles, 473
ceiling net, 473
Kenya, 473
restriction fragment length polymorphism types,
Anopheles funestus, 1178
malaria, 1178
population structure, 1178
Rhipicephalus,
Borrelia lusitaniae, 159
Italy, 159
Ixodes ricinus, 159

spotted fever group rickettsiae, 159
Rickettsia,
Amblyomma americanum, 1261
Borrelia, 1261
Ehrlichia, 1261
risk,
Culex tarsalis, 1034
discharge water, 1034
risk factor analysis,
Chagas disease, 1252
Triatoma pallidipennis, 1252
triatomine, 1252
vector ecology, 1252
risk mapping,
Borrelia burgdorferi, 166
Ixodes scapularis nymphs, 166
phenology, 166
spatial clustering, 166
river bed pools,
anopheline mosquito control, 79
larvivorous fish, 79
larvivorous potential, 79
Sri Lanka, 79
Ross River virus, 375, 1042
classification and regression trees, 375
mosquito, 1042
mosquito species, 375
SaTScan, 1042
spatial statistics, 1042
time series Poisson regression model, 375
vector-borne disease, 1042
rural,
Aedes, 1134
Culex, 1134
Florida, 1134
urban, 1134

S

(1S, 2′S)-methylpiperidinyl-3-cyclohexene-1-carboxamide, 34, 1248
2-(2-hydroxyethyl)-1-piperidine carboxylic acid 1-methylpropyl ester, 34
malaria vector, 34
N,N,-diethyl[3-(trifluoromethyl)] benzamide, 1248
N,N-diethyl(3-bromophenyl) acetamide, 1248
N,N-diethyl-3-methylbenzamide, 1248
N,N-diethyl[(α,α,α-trifluoro-*m*-tolyl)]acetamide, 1248
N,N-diethyl-3-methylbenzamide, 34
yellowfever mosquito, 34
16S sequence,
Argas (Persicargas) keiransi, 801
keys, 801
New World *Persicargas*, 801
18S and ITS-2 rDNA sequences,
Anopheles, 508
Iberian Peninsula, 508
malaria, 508
phylogenetic analysis, 508
salivary gland,
Anopheles, 867
GE-rich, 867
malaria, 867
mosquito, 867
salt marsh,
Aedes sollicitans, 393
Poisson regression model, 393
population dynamics, 393
weather, 393
sand flies, 518, 647
black flies, 518
control, 647
DEPA, 518
Iraq, 647
leishmaniasis, 647
mosquitoes, 518
repellent, 518
surveillance, 647
Sarcoptes scabiei, 539, 910
adhesion molecule, 910
antibody, 539
chemokine, 910
digestive tract, 539
immunoglobulin, 539
scabies mite, 910
vaccine, 539
vascular endothelium, 910
SaTScan,
mosquito, 1042
Ross River virus, 1042
spatial statistics, 1042
vector-borne disease, 1042
scabies mite,
adhesion molecule, 910
chemokine, 910
Sarcoptes scabiei, 910
vascular endothelium, 910
seasonality,
Brazil, 990
climate, 990
Lutzomyia longipalpis, 990
visceral leishmaniasis, 990
semiochemicals,
behavioral response, 207
Culex quinquefasciatus, 207
EAG, 207
human skin emanations, 207
septic tanks,
chlorpyrifos-methyl, 1195
Culex pipiens, 1195
mosquito control, 1195
temephos, 1195
shiga toxin,
antibiotic resistance, 288
horizontal transfer, 288
house fly gut, 288
Musca domestica, 288
sibling species,
microsatellite loci, 640
species complex, 640
tsetse flies, 640
Silene otites,
conditioned and naïve response, 1164
Culex pipiens pipiens molestus, 1164
flower odor, 1164
phenyl acetaldehyde, 1164
single nucleotide polymorphisms,
mosquitoes, 238
oligonucleotide ligation assay, 238
site selection,
An. gambiae, 221
competitors, 221
oviposition, 221
predators, 221
size,
Anopheles, 820
density, 820
irrigation, 820
survivorship, 820
Socioeconomic status,
Aedes breeding, 330
dengue, 330
surveillance, 330
tree holes, 330
soluble nutrients,
bacteria, 677
microbial biomass, 677
Ochlerotatus triseriatus larvae, 677
stemflow, 677
tree holes, 677
southern California,
Culex pipiens quinquefasciatus, 344
Culex tarsalis, 344
overwintering, 344
West Nile virus, 344
Southern India,
fly abundance, 631
tsunami, 631
spatial analysis,
Aedes albopictus, 976
kriging, 976
oviposition, 976
spatial clustering,
Borrelia burgdorferi, 166
Ixodes scapularis nymphs, 166
phenology, 166
risk mapping, 166

spatial distribution,
Borrelia burgdorferi, 600
infection prevalence, 600
Ixodes scapularis, 600
Lyme borreliosis, 600
spatial statistics,
mosquito, 1042
Ross River virus, 1042
SaTScan, 1042
vector-borne disease, 1042
spatiotemporal,
crude rate, 777
empirical Bayes, 777
fully Bayesian, 777
Lyme disease, 777
species complex,
microsatellite loci, 640
sibling species, 640
tsetse flies, 640
species composition,
abundance, 840
cattle, 840
Culicoides, 840
spider,
colonization, 962
flora, 962
infection, 962
Staphylococcus aureus, 962
spinosad, 634, 1190
Aedes aegypti, 1190
mixture, 1190
Pediculus humanus, 634
permethrin resistance, 634
pyriproxyfen, 1190
synergism, 1190
sporozoite infection,
Anopheles ziemanni, 774
human blood indices, 774
Kenya, 774
malaria, 774
spotted fever group rickettsiae,
Borrelia lusitaniae, 159
Italy, 159
Ixodes ricinus, 159
Rhipicephalus, 159
Sri Lanka,
anopheline mosquito control, 79
larvivorous fish, 79
larvivorous potential, 79
river bed pools, 79
Staphylococcus aureus,
colonization, 962
flora, 962
infection, 962
spider, 962
Stegomyia, 795, 1112
Aedes, 795
Aedes aegypti, 1112
Aedes albopictus, 1112
dispersal, 1112
DNA, 795
phylogeny, 795
pitcher plant, 795
yellow fever, 1112
stemflow,
bacteria, 677
microbial biomass, 677
Ochlerotatus triseriatus larvae, 677
soluble nutrients, 677
tree holes, 677
stinging,
anaphylaxis, 1094
non-native species, 1094
ponerines, 1094
urticaria, 1094
Streblidae,
Chiroptera, 433
ectoparasites, 433
host choice, 433
supercooling point,
adult diapause, 713
cold hardiness, 713
desiccation resistance, 713
hsp70, 713
surface layer algae,
Anopheles gambiae larvae, 669
feeding ecology, 669
surveillance, 330, 589, 647, 1121
Aedes breeding, 330
Aedes triseriatus, 589
arbovirus, 589
control, 647
counterflow geometry, 1121
Culex, 1121
dengue, 330
Iraq, 647
La Crosse encephalitis virus, 589
leishmaniasis, 647
sand flies, 647
Socioeconomic status, 330
traps, 1121
tree holes, 330
West Nile virus, 589, 1121
survival, 185, 403
Culex vishnui, 185
development, 185
geographic range, 403
habitat, 403
Ixodes scapularis, 403
Japanese encephalitis, 185
remote sensing, 403
vector, 185
survivorship,
Anopheles, 820
density, 820
irrigation, 820
size, 820
susceptibility,
anticoagulant, 1222
filarial parasite, 1222
mosquito, 1222
Sweden,
essential oils, 113
Guinea-Bissau, 113
mosquito repellents, 113
phytochemicals, 113
synergism,
Aedes aegypti, 1190
mixture, 1190
pyriproxyfen, 1190
spinosad, 1190

T

T-regulatory cells,
human lymphocytes, 283
IFNγ, 283
IL-10, 283
mononuclear cells, 283
Tanzania,
altitude, 580
Anopheles arabiensis, 580
entomological inoculation rate, 580
malaria, 580
taxonomy, 443, 455
allozymes, 455
Anopheles, 455
Culicidae, 455
evolutionary relationships, 443
molecular phylogeny, 443
mosquito, 443
Ochlerotatus, 443
RAPD, 455
temephos,
chlorpyrifos-methyl, 1195
Culex pipiens, 1195
mosquito control, 1195
septic tanks, 1195
temperature,
Culex tarsalis, 309
degree-days, 309
transmission, 309
West Nile virus, 309
temperature thresholds,
blow flies, 1276
degree-day analysis, 1276
post-mortem interval, 1276
tick, 707, 789, 924, 971
Acari, 707
acetylcholinesterase, 707
Anaplasma marginale, 971
bison, 971
Borrelia burgdorferi, 924
Dermacentor andersoni, 971
ectoparasites, 789
Haller park wildlife, 789
hosts, 789
Ixodidae, 707
kinetics, 707
Lyme disease, 924
mice, 924
New York state, 924
tick-host associations, 789

transmission, 971
tick abundance,
greenness and wetness indices, 337
Landsat TM data, 337
Lyme disease, 337
remote sensing, 337
tick repellent,
Ixodes scapularis, 957
Lyme disease, 957
natural products, 957
tick-host associations,
ectoparasites, 789
Haller park wildlife, 789
hosts, 789
ticks, 789
time series Poisson regression model,
classification and regression trees, 375
mosquito species, 375
Ross River virus, 375
transect,
Anopheles, 614
Belize, 614
land use, 614
malaria, 614
transmission, 296, 309, 564, 971
Anaplasma marginale, 971
bison, 971
Culex tarsalis, 309
degree-days, 309
Dermacentor andersoni, 971
Glossina, 564
isometamidium chloride, 564
Japanese encephalitis, 296
mosquitoes, 296
temperature, 309
ticks, 971
Trypanosoma brucei brucei, 564
Trypanosoma congolense, 564
Uzbekistan, 296
West Nile, 296
West Nile virus, 309
transovarial transmission,
Aedes spp., 757
La Crosse virus, 757
mosquito, 757
trapping scheme,
carbon dioxide, 151
height, 151
light trap, 151
octenol, 151
traps,
counterflow geometry, 1121
Culex, 1121
surveillance, 1121
West Nile virus, 1121
tree holes, 330, 677
Aedes breeding, 330
bacteria, 677
dengue, 330
microbial biomass, 677
Ochlerotatus triseriatus larvae, 677
Socioeconomic status, 330
soluble nutrients, 677
stemflow, 677
surveillance, 330
trench fever,
Bartonella quintana, 110
head lice, 110
Nepal, 110
PCR, 110
Triatoma infestans, 902, 1060
Chagas disease, 902
geographical information system, 1060
Gran Chaco, 1060
house infestation pattern, 1060
peridomestic, 902
peridomestic infestation, 1060
pyrethroid, 902
vector control, 902
Triatoma pallidipennis,
Chagas disease, 1252
risk factor analysis, 1252
triatomine, 1252
vector ecology, 1252
Triatominae,
Chagas disease, 143
flight initiation, 143
reinfestation, 143
triatomine,
Chagas disease, 1252
risk factor analysis, 1252
Triatoma pallidipennis, 1252
vector ecology, 1252
tRNAs,
conserved primers, 636
control region, 636
Diptera, 636
mitochondrial DNA, 636
Trombiculidae,
bat, 128
chigger, 128
Plecotus auritus, 128
Whartonia (Fasctonia) natsumei n. sp., 128
Trypanosoma brucei brucei,
Glossina, 564
isometamidium chloride, 564
transmission, 564
Trypanosoma congolense, 564
Trypanosoma congolense,
Glossina, 564
isometamidium chloride, 564
transmission, 564
Trypanosoma brucei brucei, 564
trypanosome,
Glossina, 301
proteolytic lectin, 301
tsetse fly, 301
tsetse fly, 301, 640
Glossina, 301
proteolytic lectin, 301
microsatellite loci, 640
sibling species, 640
species complex, 640
trypanosome, 301
tsunami,
fly abundance, 631
Southern India, 631
Turkey,
diagnosis, 248
ELISA, 248
Leishmania tropica, 248
Phlebotomus sergenti, 248

U

United States,
Dermacentor andersoni, 17
distribution, 17
urban,
Aedes, 1134
Culex, 1134
Florida, 1134
rural, 1134
urticaria,
anaphylaxis, 1094
non-native species, 1094
ponerines, 1094
stinging, 1094
Uzbekistan,
Japanese encephalitis, 296
mosquitoes, 296
transmission, 296
West Nile, 296

V

vaccine,
antibody, 539
digestive tract, 539
immunoglobulin, 539
Sarcoptes scabiei, 539
vascular endothelium,
adhesion molecule, 910
chemokine, 910
Sarcoptes scabiei, 910
scabies mite, 910
vector, 93, 104, 185, 574, 1215
Anopheles, 1215
California, 93
Cameroon, 1215
Culex pipiens, 574
Culex theileri, 104
Culex vishnui, 185
development, 185
Dirofilaria, 574
Dirofilaria immitis, 104
fleas, 93
GARP, 93

Italy, 574
Japanese encephalitis, 185
malaria, 1215
plague, 93
Plasmodium, 1215
Portugal, 104
survival, 185
vector competence, 73, 323, 568, 966, 1239
Aedes triseriatus, 966
Aedes vigilax, 1239
Bluetongue virus, 73
cattle, 323
Culex pipiens, 966
Culicoides, 73, 323, 568
oral susceptibility, 73
vesicular stomatitis, 323, 568
West Nile virus, 966
vector control,
Chagas disease, 902
peridomestic, 902
pyrethroid, 902
Triatoma infestans, 902
vector ecology,
Chagas disease, 1252
risk factor analysis, 1252
Triatoma pallidipennis, 1252
triatomine, 1252
vector infection,
arboviruses, 623
epidemiology, 623
viremia, 623
vector-borne disease,
mosquito, 1042
Ross River virus, 1042
SaTScan, 1042
spatial statistics, 1042
vertical distribution,
Culex pipiens, 177
Culex restuans; West Nile Virus, 177
parity, 177
vesicular stomatitis, 323, 568
cattle, 323
Culicoides, 323, 568
vector competence, 323, 568
viremia,
arboviruses, 623
epidemiology, 623
vector infection, 623
virus,
Getah, 1076
Japanese encephalitis, 1076
Korea, 1076
mosquitoes, 1076
West Nile, 1076
visceral leishmaniasis,
Brazil, 990
climate, 990
Lutzomyia longipalpis, 990
seasonality, 990
Volgograd,
bloodmeal host utilization, 552
Culex pipiens, 552
mosquito diversity, 552
West Nile virus, 552

W

wash resistance,
Anopheles culicifacies, 884
Anopheles fluviatilis, 884
bioefficacy, 884
Olyset net, 884
washing,
colored nets, 875
deltamethrin, 875
dipping, 875
wastewater,
irrigation, 996
mosquito production, 996
Pakistan, 996
ponds, 996
weather,
Aedes sollicitans, 393
Poisson regression model, 393
population dynamics, 393
salt marsh, 393
West Nile, 296, 1076
Getah, 1076
Japanese encephalitis, 296, 1076
Korea, 1076
mosquitoes, 296, 1076
transmission, 296
Uzbekistan, 296
virus, 1076
West Nile fever,
Camargue, 936
host-baited collections, 936
mosquito potential vectors, 936
West Nile virus, 83, 177, 309, 344, 356, 552, 589, 594, 966, 1010, 1020, 1088, 1121, 1227
Aedes triseriatus, 589, 966
Aedes vexans, 1010, 1088
American crow, 356
arbovirus, 589
bloodmeal host utilization, 552
ceratopogonids, 1020
chicken, 83
counterflow geometry, 1121
Culex, 1121
Culex p. pipiens, 83
Culex pipiens, 177, 552, 966, 1010
Culex pipiens complex, 1227
Culex pipiens quinquefasciatus, 344, 356
Culex restuans, 83, 177, 1010
Culex salinarius, 1010
Culex tarsalis, 309, 344, 356
Culicoides, 1020
Culiseta melanura, 1088
degree-days, 309
emergence, 594
host-feeding pattern, 1088
house sparrow, 83
hybrid zone, 1227
La Crosse encephalitis virus, 589
Louisiana, 1020
mosquito, 594, 1088
mosquito diversity, 552
New Mexico Rio Grande, 594
overwintering, 344
oviposition activity period, 1227
parity, 177
pipiens, 1227
southern California, 344
surveillance, 589, 1121
temperature, 309
transmission, 309
traps, 1121
vector competence, 966
Vertical distribution, 177
Volgograd, 552
western scrub-jay, 356
western scrub-jay,
American crow, 356
Culex pipiens quinquefasciatus, 356
Culex tarsalis, 356
West Nile virus, 356
Whartonia (Fasctonia) natsumei n. sp.,
bat, 128
chigger, 128
Plecotus auritus, 128
Trombiculidae, 128
white-tailed deer,
Dermacentor albipictus, 810
establishment, 810
Illinois, 810
Ixodes scapularis, 810
wings,
geometric morphometrics, 853
Glossina palpalis, 853
Guinea, 853
microsatellite DNA, 853
Wolbachia, 689, 696, 752
Aedes albopictus, 689
Armigeres subalbatus, 752
Cimex lectularius, 696
control strategies, 696
cytoplasmic incompatibility, 689
endosymbiont, 696
immature survivorship, 689
Japanese encephalitis virus, 752
parallel infection, 752
pesticide resistance, 696
population replacement, 689

workshop,
Chrysomya rufifacies, 1287
forensic science, 1287

X

xanthurenic acid,
malaria, 318
mosquito, 318
Plasmodium, 318
xenodiagnosis,
Borrelia lusitaniae, 737
Ixodes ricinus, 737
Psammodromus algirus, 737
reservoir, 737

Y

yellow fever, 214, 1112
Aedes, 214
Aedes aegypti, 1112
Aedes albopictus, 1112
dengue, 214
dispersal, 1112
ovitraps, 214
Panicum maximum, 214
Stegomyia, 1112
yellowfever mosquito,
(1S, 2′S)-methylpiperidinyl-3-cyclohexene-1-carboxamide, 34
2-(2-hydroxyethyl)-1-piperidine carboxylic acid 1-methylpropyl ester, 34
malaria vector, 34
N,N-diethyl-3-methylbenzamide, 34

Z

zoonotic disease,
exotic species, 1099
foreign animal disease, 1099
imported animals, 1099